Cefotaxime

Description générale

Cefotaxime is a 3rd-generation cephalosporin

INN	Cefotaxime
Codes ATC	J01DD01
Type de médicament	Chemical agent
Groupes d'antibiotiques	WATCH
Historique des statuts LME	Ajouté pour la première fois en 2009 (TRS 958) pour Bacterial infection of unspecified site Modifié en 2017 (TRS 1006) pour Bacterial meningitis Modifié en 2017 (TRS 1006) pour Osteomyelitis or osteitis Modifié en 2017 (TRS 1006) pour Bacterial infection of joint Modifié en 2017 (TRS 1006) pour Sepsis without septic shock Modifié en 2017 (TRS 1006) pour Peritoneal abscess Modifié en 2017 (TRS 1006) pour Peritonitis Retiré en 2017 (TRS 1006) pour Bacterial infection of unspecified site Ajouté en 2017 (TRS 1006) pour Bacterial pneumonia Modifié en 2017 (TRS 1006) pour Other specified pneumonia Modifié en 2017 (TRS 1006) pour Acute pyelonephritis Modifié en 2017 (TRS 1006) pour Inflammatory or other diseases of prostate Modifié en 2025 (TRS 1064) pour Bacterial meningitis
Wikipédia	Cefotaxime
DrugBank	Cefotaxime

Recommandations

Section Watch group antibiotics

- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt)
- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial powder for injection (as sodium salt)

Indications

Premier choix

Bacterial meningitis

Peritonitis (mild-moderate)

Peritonitis (severe)

Bacterial pneumonia (Community-acquired pneumonia - severe) [children]

Bacterial pneumonia (Community-acquired pneumonia - severe)

Other specified pneumonia (Hospital-acquired pneumonia)

Acute pyelonephritis (severe)

Inflammatory or other diseases of prostate (severe)

Peritoneal abscess (mild-moderate)

Peritoneal abscess (severe)

Second choix

Osteomyelitis or osteitis

Bacterial infection of joint

Sepsis without septic shock

Acute pyelonephritis (mild to moderate)

Inflammatory or other diseases of prostate (mild to moderate)

Autres indications

Bacterial infection of unspecified site

Section Medicines for bacterial central nervous system infections

- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial powder for injection (as sodium salt)

Indications

Premier choix

Bacterial meningitis