




Description générale

Cefotaxime is a 3rd-generation cephalosporin

INN	Cefotaxime
Codes ATC	J01DD01
Type de médicament	Chemical agent
Groupes d'antibiotiques	 WATCH
Historique des statuts LME	<p>Ajouté pour la première fois en 2009 (TRS 958) pour Bacterial infection of unspecified site</p> <p>Ajouté en 2017 (TRS 1006) pour Bacterial meningitis</p> <p>Ajouté en 2017 (TRS 1006) pour Osteomyelitis or osteitis</p> <p>Ajouté en 2017 (TRS 1006) pour Bacterial infection of joint</p> <p>Ajouté en 2017 (TRS 1006) pour Sepsis without septic shock</p> <p>Ajouté en 2017 (TRS 1006) pour Peritoneal abscess</p> <p>Ajouté en 2017 (TRS 1006) pour Peritonitis</p> <p>Retiré en 2017 (TRS 1006) pour Bacterial infection of unspecified site</p> <p>Ajouté en 2017 (TRS 1006) pour Bacterial pneumonia</p> <p>Ajouté en 2017 (TRS 1006) pour Other specified pneumonia</p> <p>Ajouté en 2017 (TRS 1006) pour Acute pyelonephritis</p> <p>Ajouté en 2017 (TRS 1006) pour Inflammatory and other diseases of prostate</p> <p>Ajouté en 2025 (TRS 1064) pour Bacterial meningitis</p>
Wikipédia	Cefotaxime 
DrugBank	Cefotaxime 

Recommandations

Section Watch group antibiotics

Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt)

Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial powder for injection (as sodium salt)

Indications

Premier choix

Other specified pneumonia (Hospital-acquired pneumonia)

Bacterial meningitis

Bacterial pneumonia (Community-acquired pneumonia - severe) [children]

co-prescrire avec [amikacin](#)

Acute pyelonephritis (severe)

co-prescrire avec [amikacin](#)

Inflammatory and other diseases of prostate (severe)

co-prescrire avec [clarithromycin](#)

Bacterial pneumonia (Community-acquired pneumonia - severe)

co-prescrire avec [metronidazole](#)

Peritoneal abscess (severe)

co-prescrire avec [metronidazole](#)

Peritoneal abscess (mild-moderate)

co-prescrire avec [metronidazole](#)

Peritonitis (mild-moderate)

co-prescrire avec [metronidazole](#)

Peritonitis (severe)

Second choix

Inflammatory and other diseases of prostate (mild to moderate)

Acute pyelonephritis (mild to moderate)

Sepsis without septic shock

Bacterial infection of joint

Osteomyelitis or osteitis

Autres indications

Section **Medicines for bacterial central nervous system infections**

Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial powder for injection (as sodium salt)

Indications

Premier choix

Bacterial meningitis

