Ceftriaxone

Description générale

Ceftriaxone is a third-generation cephalosporin.

INN	Ceftriaxone
Codes ATC	J01DD04
Type de médicament	Chemical agent
Groupes d'antibiotiques	WATCH
Historique des statuts LME	Ajouté pour la première fois en 1995 (TRS 867) pour Bacterial infection of unspecified site Modifié en 2017 (TRS 1006) pour Bacterial meningitis Modifié en 2017 (TRS 1006) pour Osteomyelitis or osteitis Modifié en 2017 (TRS 1006) pour Bacterial infection of joint Modifié en 2017 (TRS 1006) pour Sepsis without septic shock Modifié en 2017 (TRS 1006) pour Infectious gastroenteritis or colitis without specification of infectious agent Modifié en 2017 (TRS 1006) pour Gonococcal infection Modifié en 2017 (TRS 1006) pour Peritoneal abscess Modifié en 2017 (TRS 1006) pour Peritonitis Retiré en 2017 (TRS 1006) pour Bacterial infection of unspecified site Ajouté en 2017 (TRS 1006) pour Bacterial pneumonia Modifié en 2017 (TRS 1006) pour Other specified pneumonia Modifié en 2017 (TRS 1006) pour Acute pyelonephritis Modifié en 2017 (TRS 1006) pour Inflammatory or other diseases of prostate Modifié en 2019 (TRS 1021) pour Typhoid fever Modifié en 2019 (TRS 1021) pour Paratyphoid fever Modifié en 2021 (TRS 1035) pour Endophthalmitis Modifié en 2023 (TRS 1049) pour Necrotising fasciitis Modifié en 2025 (TRS 1064) pour Bacterial meningitis
Wikipédia	Ceftriaxone
DrugBank	Ceftriaxone

Recommandations

Section Watch group antibiotics

- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt)
- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial powder for injection (as sodium salt)
- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt
- Parenteral > Locoregional injections > Intravitreal: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as

sodium salt); 2 g in vial powder for injection (as sodium salt)

- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial

Indications

Premier choix

Bacterial pneumonia (Community-acquired pneumonia - severe)

Bacterial pneumonia (Community-acquired pneumonia - severe) [children]

Bacterial meningitis

Peritonitis (mild-moderate)

Peritonitis (severe)

Gonococcal infection

Other specified pneumonia (Hospital-acquired pneumonia)

Acute pyelonephritis (severe)

Inflammatory or other diseases of prostate (severe)

Peritoneal abscess (mild-moderate)

Peritoneal abscess (severe)

Typhoid fever

Paratyphoid fever

Endophthalmitis

Second choix

Infectious gastroenteritis or colitis without specification of infectious agent

Osteomyelitis or osteitis

Bacterial infection of joint

Sepsis without septic shock

Acute pyelonephritis (mild to moderate)

Inflammatory or other diseases of prostate (mild to moderate)

Autres indications

Bacterial infection of unspecified site

Section Medicines for bacterial central nervous system infections

- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial powder for injection (as sodium salt)

Indications

Premier choix

Bacterial meningitis