

Description générale

Ceftriaxone is a third-generation cephalosporin.

INN	Ceftriaxone
Codes ATC	J01DD04
Type de médicament	Chemical agent
Groupes d'antibiotiques	 WATCH
Historique des statuts LME	Ajouté pour la première fois en 1995 (TRS 867) pour Bacterial infection of unspecified site Ajouté en 2017 (TRS 1006) pour Bacterial meningitis Ajouté en 2017 (TRS 1006) pour Osteomyelitis or osteitis Ajouté en 2017 (TRS 1006) pour Bacterial infection of joint Ajouté en 2017 (TRS 1006) pour Sepsis without septic shock Ajouté en 2017 (TRS 1006) pour Infectious gastroenteritis or colitis without specification of infectious agent Ajouté en 2017 (TRS 1006) pour Gonococcal infection Ajouté en 2017 (TRS 1006) pour Peritoneal abscess Ajouté en 2017 (TRS 1006) pour Peritonitis Retiré en 2017 (TRS 1006) pour Bacterial infection of unspecified site Ajouté en 2017 (TRS 1006) pour Bacterial pneumonia Ajouté en 2017 (TRS 1006) pour Other specified pneumonia Ajouté en 2017 (TRS 1006) pour Acute pyelonephritis Ajouté en 2017 (TRS 1006) pour Inflammatory and other diseases of prostate Ajouté en 2019 (TRS 1021) pour Typhoid fever Ajouté en 2019 (TRS 1021) pour Paratyphoid fever Ajouté en 2021 (TRS 1035) pour Necrotising fasciitis Ajouté en 2021 (TRS 1035) pour Endophthalmitis
Wikipédia	Ceftriaxone 
DrugBank	Ceftriaxone 

Recommandations

Section	Watch group antibiotics
Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt) Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt) Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt) Parenteral > General injections > unspecified: 2 g in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 250 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt) Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial powder for injection (as sodium salt)	

Indications

Premier choix

Bacterial pneumonia (Community-acquired pneumonia - severe) [children]

Typhoid fever

Bacterial meningitis

Other specified pneumonia (Hospital-acquired pneumonia)

Paratyphoid fever

co-prescrire avec [amikacin](#)

Inflammatory and other diseases of prostate (severe)

co-prescrire avec [amikacin](#)

Acute pyelonephritis (severe)

co-prescrire avec [azithromycin](#)

Gonococcal infection

co-prescrire avec [clarithromycin](#)

Bacterial pneumonia (Community-acquired pneumonia - severe)

co-prescrire avec [metronidazole](#)

Necrotising fasciitis

co-prescrire avec [metronidazole](#)

Peritonitis (mild-moderate)

co-prescrire avec [metronidazole](#)

Peritoneal abscess (severe)

co-prescrire avec [metronidazole](#)

Peritoneal abscess (mild-moderate)

co-prescrire avec [metronidazole](#)

Peritonitis (severe)

co-prescrire avec [vancomycin](#)

Endophthalmitis

Second choix

Acute pyelonephritis (mild to moderate)

Inflammatory and other diseases of prostate (mild to moderate)

Sepsis without septic shock

Bacterial infection of joint

Osteomyelitis or osteitis

Infectious gastroenteritis or colitis without specification of infectious agent

Autres indications

Bacterial infection of unspecified site

