

Doxycycline
Statut de médicament essentiel
Description générale

INN

Doxycycline

Codes ATC

[J01AA02](#)

Type de médicament

Chemical agent

Groupes d'antibiotiques

[ACCESS](#)

Historique des statuts LME

Ajouté pour la première fois en 1977 ([TRS 615](#)) pour [Bacterial infection of unspecified site](#)

Ajouté en 1995 ([TRS 867](#)) pour [Malaria due to Plasmodium falciparum](#)

Ajouté en 1999 ([TRS 895](#)) pour [Malaria due to Plasmodium falciparum](#)

Ajouté en 2017 ([TRS 1006](#)) pour [Chronic obstructive pulmonary disease with acute exacerbation](#)

Ajouté en 2017 ([TRS 1006](#)) pour [Cholera](#)

Ajouté en 2017 ([TRS 1006](#)) pour [Bacterial pneumonia](#)

Ajouté en 2017 ([TRS 1006](#)) pour [Chlamydia trachomatis](#)

Retiré en 2017 ([TRS 1006](#)) pour [Bacterial infection of unspecified site](#)

Retiré en 2025 ([TRS 1064](#)) pour [Malaria due to Plasmodium falciparum](#)

Ajouté en 2025 ([TRS 1064](#)) pour [Malaria due to Plasmodium falciparum](#)

Retiré en 2025 ([TRS 1064](#)) pour [Malaria due to Plasmodium falciparum](#)

Wikipédia

[Doxycycline](#)

DrugBank

[Doxycycline](#)

Recommandations

Section

Access group antibiotics

- Oral > Liquid: 25 mg per 5 mL powder for oral liquid (monohydrate); 50 mg per 5 mL (calcium)
- Parenteral > General injections > unspecified: 100 mg in vial powder for injection
- Oral > Solid > dispersible tablet: 100 mg (as monohydrate)
- Oral > Solid > dosage form: 50 mg (as hyclate); 100 mg (as hyclate)
- Oral > Liquid: 25 mg per 5 mL (anhydrous); 50 mg per 5 mL (anhydrous)
- Oral > Solid: 100 mg (as hyclate); 50 mg (as hyclate)
- Oral > Solid > dosage form: 100 mg (as hyclate)

Indications

Premier choix

[Cholera](#) [Chlamydia trachomatis](#)

Second choix

[Bacterial pneumonia \(Community-acquired pneumonia - mild to moderate\)](#) [Chronic obstructive pulmonary disease with acute exacerbation](#) [Cholera \[children\]](#)

Autres indications

[Bacterial infection of unspecified site](#)

Section

Antimalarial medicines > Medicines for curative treatment

- Oral > Solid: 100 mg (hydrochloride or hyclate); 100 mg dispersible tablet (as monohydrate)

Indications

[Malaria due to Plasmodium falciparum](#)

Section

Antimalarial medicines > Medicines for chemoprevention

- Oral > Solid: 100 mg (hydrochloride or hyclate)

Indications

[Malaria due to Plasmodium falciparum](#)

Section

Antimalarial medicines > Medicines for chemoprophylaxis in travellers

- Oral > Liquid: 50 mg per 5 mL (calcium); 25 mg per 5 mL (monohydrate) powder for oral liquid
- Oral > Solid > dispersible tablet: 100 mg (as monohydrate)
- Oral > Solid > dosage form: 50 mg (as hyclate); 100 mg (as hyclate)

Indications

[Malaria due to Plasmodium falciparum](#)

