

Description générale

INN	Doxycycline
Codes ATC	J01AA02
Type de médicament	Chemical agent
Groupes d'antibiotiques	A ACCESS
Historique des statuts LME	Ajouté pour la première fois en 1977 (TRS 615) pour Bacterial infection of unspecified site Ajouté en 1995 (TRS 867) pour Malaria due to Plasmodium falciparum Ajouté en 1999 (TRS 895) pour Malaria due to Plasmodium falciparum Ajouté en 2017 (TRS 1006) pour Chronic obstructive pulmonary disease with acute exacerbation Ajouté en 2017 (TRS 1006) pour Cholera Ajouté en 2017 (TRS 1006) pour Bacterial pneumonia Ajouté en 2017 (TRS 1006) pour Chlamydia trachomatis Retiré en 2017 (TRS 1006) pour Bacterial infection of unspecified site
Wikipédia	Doxycycline 
DrugBank	Doxycycline 

Recommandations

Section Access group antibiotics

Oral > Liquid: 25 mg per 5 mL powder for oral liquid (monohydrate); 50 mg per 5 mL (calcium)

Oral > Solid: 50 mg (as hyclate); 100 mg (as hyclate)

Parenteral > General injections > unspecified: 100 mg in vial powder for injection

Oral > Solid > dispersible tablet: 100 mg (as monohydrate)

Oral > Liquid: 25 mg per 5 mL (anhydrous); 50 mg per 5 mL (anhydrous)

Oral > Solid: 100 mg (as hyclate); 50 mg (as hyclate)

Oral > Solid: 100 mg (as hyclate)

Indications

Premier choix

Chlamydia trachomatis

Cholera

Second choix

Cholera [children]

Chronic obstructive pulmonary disease with acute exacerbation

Bacterial pneumonia (Community-acquired pneumonia - mild to moderate)

Autres indications

Bacterial infection of unspecified site

Section Antimalarial medicines > For curative treatment

Oral > Solid: 100 mg (hydrochloride or hyclate); 100 mg dispersible tablet (as monohydrate)

Indications

Malaria due to Plasmodium falciparum

Section Antimalarial medicines > For chemoprevention

Oral > Solid: 100 mg (hydrochloride or hyclate)

Indications

Malaria due to Plasmodium falciparum



