

## Description générale

Hydrocortisone is a glucocorticoid corticosteroid used in the topical and/or systemic treatment of various conditions where corticosteroids are indicated.

INN	Hydrocortisone
Codes ATC	H02AB09 D07AA02 A07EA02 S01BA02
Type de médicament	Chemical agent
Historique des statuts LME	Ajouté pour la première fois en 1977 (TRS 615) pour Dermatitis or eczema Ajouté en 1977 (TRS 615) pour Adrenocortical insufficiency Ajouté en 1977 (TRS 615) pour Scleritis Ajouté en 1977 (TRS 615) pour Anterior uveitis Ajouté en 1977 (TRS 615) pour Lichen planus Ajouté en 1977 (TRS 615) pour Pruritus due to skin disorder Ajouté en 1977 (TRS 615) pour Psoriasis of unspecified type Ajouté en 1987 (TRS 770) pour Anaphylaxis Ajouté en 1987 (TRS 770) pour Ulcerative colitis Ajouté en 1987 (TRS 770) pour Crohn disease site Retiré en 1989 (TRS 796) pour Scleritis Retiré en 1989 (TRS 796) pour Anterior uveitis Ajouté en 2003 (TRS 920) pour Unspecified malignant neoplasms of ill-defined or unspecified sites Retiré en 2003 (TRS 920) pour Adrenocortical insufficiency Ajouté en 2009 (TRS 958) pour Adrenocortical insufficiency Ajouté en 2015 (TRS 994) pour Lymphoid leukaemia, not elsewhere classified Retiré en 2015 (TRS 994) pour Unspecified malignant neoplasms of ill-defined or unspecified sites Ajouté en 2021 (TRS 1035) pour Burkitt lymphoma including Burkitt leukaemia
Wikipédia	<a href="#">Hydrocortisone</a> ↗
DrugBank	<a href="#">Hydrocortisone</a> ↗

## Recommandations

### Section Antiallergics and medicines used in anaphylaxis

Parenteral > General injections > unspecified: 100 mg in vial powder for injection (as sodium succinate)

### Indications

Anaphylaxis

Section Dermatological medicines > Anti-inflammatory and antipruritic medicines

Local > Topical > Cream: 1% (acetate)

Local > Topical > Ointment: 1% (acetate)

Indications

Dermatitis or eczema

Lichen planus

Psoriasis of unspecified type

Pruritus due to skin disorder

Section Anti-inflammatory medicines

Local > Rectal > Suppository: 25 mg (acetate)

Local > Rectal > Retention enema: 100 mg per 60 mL

Indications

Ulcerative colitis

Crohn disease site

Section Adrenal hormones and synthetic substitutes

Oral > Solid: 5 mg; 10 mg; 20 mg

Indications

Adrenocortical insufficiency

Section Hormones and antihormones

Parenteral > General injections > unspecified: 100 mg in vial (as sodium succinate)

Indications

Lymphoid leukaemia, not elsewhere classified

Unspecified malignant neoplasms of ill-defined or unspecified sites

Burkitt lymphoma including Burkitt leukaemia

Section Ophthalmological preparations > Anti-inflammatory agents

Local > Ophthalmological > Ointment: 1% (acetate)

Indications

Scleritis

Anterior uveitis

