Hydrocortisone



Description générale

Hydrocortisone is a glucocorticoid corticosteroid used in the topical and/or systemic treatment of various conditions where corticosteroids are indicated.

INN	Hydrocortisone
Codes ATC	H02AB09 D07AA02 A07EA02 S01BA02
Type de médicament	Chemical agent
Historique des statuts LME	Ajouté pour la première fois en 1977 (TRS 615) pour Dermatitis or eczema Modifié en 1977 (TRS 615) pour Adrenocortical insufficiency Modifié en 1977 (TRS 615) pour Scleritis Modifié en 1977 (TRS 615) pour Anterior uveitis Modifié en 1977 (TRS 615) pour Lichen planus Modifié en 1977 (TRS 615) pour Psoriasis of unspecified type Modifié en 1977 (TRS 615) pour Pruritus due to skin disorder Modifié en 1987 (TRS 770) pour Anaphylaxis Modifié en 1987 (TRS 770) pour Ulcerative colitis Modifié en 1987 (TRS 770) pour Crohn disease site Retiré en 1989 (TRS 796) pour Scleritis Modifié en 1989 (TRS 796) pour Anterior uveitis Ajouté en 2003 (TRS 920) pour Unspecified malignant neoplasms of unspecified sites Retiré en 2003 (TRS 920) pour Adrenocortical insufficiency Ajouté en 2009 (TRS 958) pour Adrenocortical insufficiency Modifié en 2015 (TRS 994) pour Lymphoid leukaemia, not elsewhere classified Retiré en 2015 (TRS 994) pour Unspecified malignant neoplasms of unspecified sites Ajouté en 2021 (TRS 1035) pour Burkitt lymphoma including Burkitt leukaemia
Wikipédia	Hydrocortisone
DrugBank	Hydrocortisone

Recommandations

Section Antiallergics and medicines used in anaphylaxis

- Parenteral > General injections > unspecified: 100 mg in vial powder for injection (as sodium succinate)

Indications

Anaphylaxis

Section Dermatological medicines > Anti-inflammatory and antipruritic medicines

- Local > Topical > Cream: 1% (acetate)
- Local > Topical > Ointment: 1% (acetate)

Indications

Dermatitis or eczema | Lichen planus | Psoriasis of unspecified type | Pruritus due to skin disorder

Section Anti-inflammatory medicines

- Local > Rectal > Suppository: 25 mg (acetate)
- Local > Rectal > Retention enema: 100 mg per 60 mL

Indications

Ulcerative colitis | Crohn disease site

Section Adrenal hormones and synthetic substitutes

- Oral > Solid > tablet: 5 mg; 10 mg; 20 mg
- Oral > Solid > granules: 0.5 mg in capsule; 1 mg in capsule; 2 mg in capsule; 5 mg in capsule

Indications

Adrenocortical insufficiency

Section Hormones and antihormones

- Parenteral > General injections > unspecified: 100 mg in vial (as sodium succinate)

Indications

Lymphoid leukaemia, not elsewhere classified

Unspecified malignant neoplasms of unspecified sites

Burkitt lymphoma including Burkitt leukaemia

Section Ophthalmological preparations > Anti-inflammatory agents

- Local > Ophthalmological > Ointment: 1% (acetate)

Indications

Scleritis

Anterior uveitis