

Vancomycin
Statut de médicament essentiel
Description générale

INN

Vancomycin

Codes ATC

[A07AA09 J01XA01](#)

Type de médicament

Chemical agent

Groupes d'antibiotiques

[WATCH](#)

Historique des statuts LME

Ajouté pour la première fois en 1995 ([TRS 867](#)) pour [Methicillin resistant Staphylococcus aureus](#)

Ajouté en 2017 ([TRS 1006](#)) pour [Neutropenia](#)

Ajouté en 2017 ([TRS 1006](#)) pour [Intestinal infections due to Clostridioides difficile](#)

Retiré en 2017 ([TRS 1006](#)) pour [Methicillin resistant Staphylococcus aureus](#)

Ajouté en 2021 ([TRS 1035](#)) pour [Necrotising fasciitis](#)

Ajouté en 2023 ([TRS 1049](#)) pour [Endophthalmitis](#)

Wikipédia

[Vancomycin](#)

DrugBank

[Vancomycin](#)

Recommandations

Section

Watch group antibiotics

- Oral > Solid > capsule: 125 mg (as hydrochloride); 250 mg (as hydrochloride)
- Parenteral > General injections > IV: 250 mg in vial (as hydrochloride) powder for injection
- Parenteral > General injections > IV: 250 mg in vial (as hydrochloride) powder for injection; 500 mg in vial (as hydrochloride) powder for injection; 1 g in vial (as hydrochloride) powder for injection
- Parenteral > Locoregional injections > Intravitreal: 250 mg in vial (as hydrochloride) powder for injection; 500 mg in vial (as hydrochloride) powder for injection; 1 g in vial (as hydrochloride) powder for injection

Indications

Premier choix

[Necrotising fasciitis](#)

Second choix

[Intestinal infections due to Clostridioides difficile Neutropenia \(high-risk\)](#)

Autres indications

[Methicillin resistant Staphylococcus aureus](#)