





## Description générale

INN	Sulfamethoxazole + trimethoprim
Codes ATC	J01EE01
Type de médicament	Chemical agent
Groupes d'antibiotiques	 ACCESS
Historique des statuts LME	Ajouté pour la première fois en 1977 (TRS 615) pour Bacterial infection of unspecified site Ajouté en 1997 (TRS 882) pour Pneumocystosis Ajouté en 2017 (TRS 1006) pour Infectious cystitis Ajouté en 2017 (TRS 1006) pour Infectious gastroenteritis or colitis without specification of infectious agent Retiré en 2017 (TRS 1006) pour Bacterial infection of unspecified site
Wikipédia	<a href="#">Sulfamethoxazole + trimethoprim</a> 
DrugBank	<a href="#">Sulfamethoxazole</a>  , <a href="#">Trimethoprim</a> 

## Recommandations

## Section Access group antibiotics

Parenteral > General injections > IV: 80 mg + 16 mg per mL in 10 mL ampoule; 80 mg + 16 mg per mL in 5 mL ampoule  
Oral > Liquid: 200 mg + 40 mg per 5 mL oral liquid  
Oral > Solid: 100 mg + 20 mg tablet; 400 mg + 80 mg tablet; 800 mg + 160 mg tablet  
Oral > Solid > dispersible tablet: 100 mg + 20 mg

## Indications

## Premier choix

[Infectious cystitis](#)

## Second choix

[Infectious gastroenteritis or colitis without specification of infectious agent](#)

## Autres indications

[Bacterial infection of unspecified site](#)

Section **Antipneumocystosis and antitoxoplasmosis medicines**

Parenteral > General injections > IV: 80 mg + 16 mg per mL in 5 mL ampoule; 80 mg + 16 mg per mL in 10 mL ampoule

Oral > Liquid: 200 mg + 40 mg per 5 mL oral liquid

Oral > Solid: 100 mg + 20 mg tablet; 400 mg + 80 mg tablet; 800 mg + 160 mg tablet

Oral > Solid > dispersible tablet: 100 mg + 20 mg

Indications

Pneumocystosis

