

Sulfamethoxazole + trimethoprim
Statut de médicament essentiel
Description générale

INN

Sulfamethoxazole + trimethoprim

Codes ATC

[J01EE01](#)

Type de médicament

Chemical agent

Groupes d'antibiotiques

[ACCESS](#)

Historique des statuts LME

Ajouté pour la première fois en 1977 ([TRS 615](#)) pour [Bacterial infection of unspecified site](#)

Ajouté en 1997 ([TRS 882](#)) pour [Pneumocystosis](#)

Ajouté en 2017 ([TRS 1006](#)) pour [Infectious cystitis](#)

Ajouté en 2017 ([TRS 1006](#)) pour [Infectious gastroenteritis or colitis without specification of infectious agent](#)

Retiré en 2017 ([TRS 1006](#)) pour [Bacterial infection of unspecified site](#)

Wikipédia

[Sulfamethoxazole + trimethoprim](#)

DrugBank

[Sulfamethoxazole](#),

[Trimethoprim](#)

Recommandations

Section

Access group antibiotics

- Parenteral > General injections > IV: 80 mg + 16 mg per mL in 5 mL ampoule; 80 mg + 16 mg per mL in 10 mL ampoule
- Oral > Liquid: 200 mg + 40 mg per 5 mL oral liquid
- Oral > Solid: 100 mg + 20 mg tablet; 400 mg + 80 mg tablet; 800 mg + 160 mg tablet
- Parenteral > General injections > IV: 80 mg + 16 mg per mL in 10 mL ampoule; 80 mg + 16 mg per mL in 5 mL ampoule
- Oral > Solid > dispersible tablet: 100 mg + 20 mg

Indications

Premier choix

[Infectious cystitis](#)

Second choix

[Infectious gastroenteritis or colitis without specification of infectious agent](#)

Autres indications

[Bacterial infection of unspecified site](#)

Section

Antipneumocystosis and antitoxoplasmosis medicines

- Parenteral > General injections > IV: 80 mg + 16 mg per mL in 5 mL ampoule; 80 mg + 16 mg per mL in 10 mL ampoule
- Oral > Liquid: 200 mg + 40 mg per 5 mL oral liquid
- Oral > Solid: 100 mg + 20 mg tablet; 400 mg + 80 mg tablet; 800 mg + 160 mg tablet
- Oral > Solid > dispersible tablet: 100 mg + 20 mg

Indications

[Pneumocystosis](#)