

## General description

Prednisolone is a synthetic glucocorticoid used in the treatment of various conditions where corticosteroids are indicated.

|                            |  |
|----------------------------|--|
| INN                        | Prednisolone   |
| ATC codes                  | H02AB06 S01BA04 A07EA01  |
| Medicine type              | Chemical agent   |
| EML status history         | <p>First added in 1984 (TRS 722) for Allergic or hypersensitivity conditions of unspecified type<br/>Added in 1984 (TRS 722) for Unspecified malignant neoplasms of ill-defined or unspecified sites<br/>Added in 1989 (TRS 796) for Scleritis<br/>Added in 1989 (TRS 796) for Anterior uveitis<br/>Added in 2011 (TRS 965) for Lymphoid leukaemia, not elsewhere classified<br/>Added in 2011 (TRS 965) for Burkitt lymphoma including Burkitt leukaemia<br/>Added in 2015 (TRS 994) for Follicular lymphoma<br/>Added in 2015 (TRS 994) for Chronic lymphocytic leukaemia or small lymphocytic lymphoma<br/>Added in 2015 (TRS 994) for Diffuse large B-cell lymphomas<br/>Added in 2015 (TRS 994) for Hodgkin lymphoma<br/>Removed in 2015 (TRS 994) for Unspecified malignant neoplasms of ill-defined or unspecified sites<br/>Added in 2019 (TRS 1021) for Plasma cell myeloma<br/>Added in 2019 (TRS 1021) for Malignant neoplasms of prostate<br/>Changed in 2021 (TRS 1035) for Crohn disease site<br/>Added in 2021 (TRS 1035) for Ulcerative colitis<br/>Added in 2021 (TRS 1035) for Crohn disease site<br/>Added in 2023 (TRS 1049) for Anaplastic large cell lymphoma, ALK-positive<br/>Added in 2023 (TRS 1049) for Anaplastic large cell lymphoma, ALK-negative<br/>Added in 2023 (TRS 1049) for Langerhans cell histiocytosis</p> |
| Therapeutic equivalent for | hydrocortisone for Crohn disease, unspecified site   |
| Wikipedia                  | <a href="#">Prednisolone</a>    |
| DrugBank                   | <a href="#">Prednisolone</a>    |

## Recommendations

### Section Antiallergics and medicines used in anaphylaxis

Oral > Liquid: 5 mg per mL

Oral > Solid: 5 mg; 25 mg

### Indications

Allergic or hypersensitivity conditions of unspecified type

## Section      Hormones and antihormones

Oral > Solid: 5 mg; 25 mg

Oral > Liquid: 5 mg per mL

### Indications

Follicular lymphoma

Lymphoid leukaemia, not elsewhere classified

Chronic lymphocytic leukaemia or small lymphocytic lymphoma

Diffuse large B-cell lymphomas

Hodgkin lymphoma

Unspecified malignant neoplasms of ill-defined or unspecified sites

Burkitt lymphoma including Burkitt leukaemia

Plasma cell myeloma

Malignant neoplasms of prostate

Anaplastic large cell lymphoma, ALK-positive

Anaplastic large cell lymphoma, ALK-negative

Langerhans cell histiocytosis

## Section      Ophthalmological preparations > Anti-inflammatory agents

Local > Ophthalmological > Solution (eye drops): 0.5% (sodium phosphate)

### Indications

Scleritis

Anterior uveitis

## Section      Anti-inflammatory medicines

Local > Rectal > Retention enema: 20 mg per 100 mL (as sodium phosphate)

### Indications

Ulcerative colitis

Crohn disease site

