

Lidocaine

Statut de médicament essentiel

Description générale

Lidocaine is used in the management of cardiac arrhythmias. Lidocaine is also a local anaesthetic used for surface anaesthesia of mucous membranes, infiltration anaesthesia, peripheral and sympathetic nerve block, dental anaesthesia, spinal anaesthesia, and intravenous regional anaesthesia.

INN

Lidocaine

Codes ATC

[N01BB02](#) [C01BB01](#)

Type de médicament

Chemical agent

Historique des statuts LME

Ajouté pour la première fois en 1977 ([TRS 615](#)) pour [Local anaesthetics](#)

Ajouté en 1977 ([TRS 615](#)) pour [Ventricular tachyarrhythmia](#)

Wikipédia

[Lidocaine](#)

DrugBank

[Lidocaine](#)

Recommandations

Section

Local anaesthetics

- Parenteral > Locoregional injections > Spinal anaesthesia: 5% in 2 mL ampoule (hydrochloride) + 7.5% glucose solution
- Parenteral > Locoregional injections > Other: 1% (hydrochloride); 2% (hydrochloride); 0.5% (hydrochloride)
- Local > Topical > unspecified: 2 to 4% (hydrochloride)

Indications

[Local anaesthetics](#)

Section

Antiarrhythmic medicines

- Parenteral > General injections > IV: 20 mg per mL in 5 mL ampoule (hydrochloride)

Indications

[Ventricular tachyarrhythmia](#)