

Description générale

INN	Methotrexate
Codes ATC	L01BA01 L04AX03
Type de médicament	Chemical agent
Historique des statuts LME	Ajouté pour la première fois en 1977 (TRS 615) pour Unspecified malignant neoplasms of ill-defined or unspecified sites Ajouté en 1997 (TRS 882) pour Rheumatoid arthritis, serology unspecified Ajouté en 2011 (TRS 965) pour Juvenile idiopathic arthritis Ajouté en 2015 (TRS 994) pour Malignant neoplasms of breast Ajouté en 2015 (TRS 994) pour Malignant trophoblastic neoplasms of placenta Ajouté en 2015 (TRS 994) pour Osteosarcoma of bone and articular cartilage of unspecified sites Ajouté en 2015 (TRS 994) pour Lymphoid leukaemia, not elsewhere classified Ajouté en 2015 (TRS 994) pour Acute myeloid leukaemia with recurrent genetic abnormalities Retiré en 2015 (TRS 994) pour Unspecified malignant neoplasms of ill-defined or unspecified sites Ajouté en 2021 (TRS 1035) pour Burkitt lymphoma including Burkitt leukaemia Ajouté en 2023 (TRS 1049) pour Anaplastic large cell lymphoma, ALK-positive Ajouté en 2023 (TRS 1049) pour Anaplastic large cell lymphoma, ALK-negative Ajouté en 2023 (TRS 1049) pour Langerhans cell histiocytosis Ajouté en 2023 (TRS 1049) pour Psoriasis of unspecified type Demande refusée en 2023 (TRS 1049) pour Crohn disease site Demande refusée en 2023 (TRS 1049) pour Psoriatic arthritis
Wikipédia	Methotrexate 
DrugBank	Methotrexate 

Recommandations

Section Cytotoxic medicines

Parenteral > General injections > IV: 50 mg in vial (as sodium salt); 50 mg per 2 mL; 1000 mg per 10 mL concentrated injection

Oral > Solid: 2.5 mg (as sodium salt)

Parenteral > General injections > IV: 50 mg in vial (as sodium salt)

Indications

Malignant neoplasms of breast

Malignant trophoblastic neoplasms of placenta

Osteosarcoma of bone and articular cartilage of unspecified sites

Lymphoid leukaemia, not elsewhere classified

Acute myeloid leukaemia with recurrent genetic abnormalities

Unspecified malignant neoplasms of ill-defined or unspecified sites

Burkitt lymphoma including Burkitt leukaemia

Anaplastic large cell lymphoma, ALK-positive

Anaplastic large cell lymphoma, ALK-negative

Langerhans cell histiocytosis

Section Disease-modifying anti-rheumatic drugs (DMARDs)

Oral > Solid > tablet: 2.5 mg (as sodium salt)

Indications

Rheumatoid arthritis, serology unspecified

Section Medicines for juvenile joint diseases

Oral > Solid > tablet: 2.5 mg (as sodium salt)

Indications

Juvenile idiopathic arthritis

Section [Dermatological medicines > Medicines affecting skin differentiation and proliferation](#)

Oral > Solid > tablet: 2.5 mg (as sodium salt); 10 mg (as sodium salt)

Indications

Psoriasis of unspecified type

Section [Immunomodulators for non-malignant disease](#)

Parenteral > General injections > SC: pre-filled syringe in multiple strengths

Indications

Crohn disease site

Psoriatic arthritis

