



Liste modèle des médicaments essentiels

Azithromycin

Section	Indications
<p>Watch group antibiotics</p> <p>Oral > Liquid: 200 mg per 5 mL (anhydrous) powder for oral liquid</p> <p>Oral > Solid > dosage form: 250 mg (anhydrous); 500 mg (anhydrous)</p>	<p>Premier choix</p> <p>Typhoid fever</p>

Ceftriaxone

Section	Indications
<p>Watch group antibiotics</p> <p>Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial powder for injection (as sodium salt)</p>	<p>Premier choix</p> <p>Typhoid fever</p>

Ciprofloxacin

Section	Indications
<p>Watch group antibiotics</p> <p>Parenteral > General injections > IV: 2 mg per mL (as hydrate)</p> <p>Oral > Liquid: 250 mg per 5 mL (anhydrous)</p> <p>Oral > Solid > dosage form: 250 mg (as hydrochloride); 500 mg (as hydrochloride); 100 mg (as hydrochloride)</p>	<p>Premier choix</p> <p>Typhoid fever</p>