

**Acetylsalicylic acid**

## Section

Non-opioids and non-steroidal anti-inflammatory medicines (NSAIDs)

Oral &gt; Solid: 100 to 500 mg

Local &gt; Rectal &gt; Suppository: 50 to 150 mg

## Indications

Pain

**Gabapentin**

## Section

Non-opioids and non-steroidal anti-inflammatory medicines (NSAIDs)

Oral &gt; Solid: 100 mg; 200 mg; 300 mg; 400 mg; 600 mg; 800 mg

## Indications

Neuropathic pain

**Ibuprofen**

## Section

Non-opioids and non-steroidal anti-inflammatory medicines (NSAIDs)

Oral &gt; Liquid: 200 mg per 5 mL; 100 mg per 5 mL

Oral &gt; Solid &gt; tablet: 200 mg; 400 mg; 600 mg

## Indications

Pain

**Paracetamol (acetaminophen)**

## Section

Non-opioids and non-steroidal anti-inflammatory medicines (NSAIDs)

Oral &gt; Liquid: 125 mg per 5 mL; 120 mg per 5 mL; 250 mg per 5 mL

Local &gt; Rectal &gt; Suppository: 100 mg; 250 mg

Oral &gt; Solid &gt; dispersible tablet: 100 mg; 250 mg

Oral &gt; Solid &gt; tablet: 250 mg; 325 mg; 500 mg

## Indications

Pain