

## Canagliflozin

### Section

Oral hypoglycaemic agents

### Indications

Therapeutic equivalent to empagliflozin for

Type 2 diabetes mellitus

## Dapagliflozin

### Section

Oral hypoglycaemic agents

### Indications

Therapeutic equivalent to empagliflozin for

Type 2 diabetes mellitus

## Empagliflozin

### Section

Oral hypoglycaemic agents

Oral > Solid: 10 mg; 25 mg

### Indications

Type 2 diabetes mellitus

## Glibenclamide

### Section

Oral hypoglycaemic agents

Oral > Solid: 5 mg; 2.5 mg

### Indications

Type 2 diabetes mellitus

## Gliclazide

### Section

Oral hypoglycaemic agents

Oral > Solid: 30 mg controlled-release; 60 mg controlled-release; 80 mg controlled-release

### Indications

Type 2 diabetes mellitus

## Insulin

### Section

Insulins

Parenteral > General injections > SC: 40 IU per mL in 10 mL vial (soluble); 100 IU per mL in 10 mL vial (soluble); 100 IU per mL in 3 mL cartridge (soluble); 100 IU per mL in 3 mL pre-filled pen (soluble)

### Indications

Type 2 diabetes mellitus

Type 1 diabetes mellitus

## Insulin analogues

### Section

Insulins  
Not specified

### Indications

Type 1 diabetes mellitus

Type 2 diabetes mellitus

## Insulin degludec

### Section

Insulins  
Parenteral > General injections > SC: 100 units per mL

### Indications

Therapeutic equivalent to [insulin glargine](#) for

Type 1 diabetes mellitus

Therapeutic equivalent to long-acting insulin analogues for

Type 1 diabetes mellitus

Therapeutic equivalent to long-acting insulin analogues for

Type 2 diabetes mellitus

## Insulin detemir

### Section

Insulins

### Indications

Therapeutic equivalent to [insulin glargine](#) for

Type 1 diabetes mellitus

Therapeutic equivalent to long-acting insulin analogues for

Type 1 diabetes mellitus

Therapeutic equivalent to long-acting insulin analogues for

Type 2 diabetes mellitus

## Insulin glargine

### Section

Insulins  
Parenteral > General injections > SC: 100 units per mL

### Indications

Type 1 diabetes mellitus

Therapeutic equivalent to long-acting insulin analogues for

Type 1 diabetes mellitus

Therapeutic equivalent to long-acting insulin analogues for

Type 2 diabetes mellitus

## Intermediate-acting insulin

### Section

#### Insulins

Parenteral > General injections > SC: 40 IU per mL in 10 mL vial as compound insulin zinc suspension or isophane insulin; 100 IU per mL in 10 mL vial as compound insulin zinc suspension or isophane insulin; 100 IU per mL in 3 mL cartridge as compound insulin zinc suspension or isophane insulin; 100 IU per mL in 3 mL pre-filled pen as compound insulin zinc suspension or isophane insulin

### Indications

Type 1 diabetes mellitus

Type 2 diabetes mellitus

## Long-acting insulin analogues

### Section

#### Insulins

Parenteral > General injections > SC: 100 IU per mL in 3 mL cartridge; 100 IU per mL in 3 mL pre-filled pen

### Indications

Type 1 diabetes mellitus

Type 2 diabetes mellitus

## Metformin

### Section

#### Oral hypoglycaemic agents

Oral > Solid: 500 mg (hydrochloride)

### Indications

Type 2 diabetes mellitus

## Tolbutamide

### Section

#### Oral hypoglycaemic agents

Oral > Solid: 500 mg

### Indications

Type 2 diabetes mellitus