



# Model List of Essential Medicines

## Acamprosate calcium

Section	Indications
Medicines for alcohol use disorders Oral > Solid > tablet: 333 mg	Disorders due to use of alcohol

## Amitriptyline

Section	Indications
Medicines for depressive disorders Oral > Solid: 25 mg; 75 mg	Depressive disorders

## Aripiprazole

Section	Indications
Medicines for psychotic disorders	Therapeutic equivalent to <a href="#">risperidone</a> for  <a href="#">Schizophrenia or other primary psychotic disorders</a>

## Buprenorphine

Section	Indications
Medicines for opioid use disorders	Therapeutic equivalent to <a href="#">methadone</a> for  <a href="#">Opioid dependence</a>

## Bupropion

Section	Indications
Medicines for nicotine use disorders Oral > Solid: 150 mg sustained-release (hydrochloride)	<a href="#">Nicotine dependence</a>

## Carbamazepine

Section	Indications
Medicines for bipolar disorders Oral > Solid > tablet: 100 mg (scored); 200 mg (scored); 400 mg	<a href="#">Bipolar or related disorders</a>

## **Chlorpromazine**

Section	Indications
<p>Medicines for psychotic disorders</p> <p>Oral &gt; Liquid: 25 mg per 5 mL (hydrochloride)</p> <p>Oral &gt; Solid: 100 mg (hydrochloride)</p> <p>Oral &gt; Solid: 100 mg (hydrochloride); 10 mg (hydrochloride); 25 mg (hydrochloride); 50 mg (hydrochloride)</p> <p>Parenteral &gt; General injections &gt; unspecified: 25 mg per mL in 2 mL ampoule (hydrochloride)</p>	<p>Therapeutic equivalent to <a href="#">haloperidol</a> for</p> <p><b>Schizophrenia or other primary psychotic disorders</b></p> <p><b>Schizophrenia or other primary psychotic disorders</b></p>

## **Clomipramine**

Section	Indications
<p>Medicines for obsessive compulsive disorders</p> <p>Oral &gt; Solid: 10 mg (hydrochloride); 25 mg (hydrochloride)</p>	<b>Obsessive-compulsive disorder</b>

## **Clozapine**

Section	Indications
<p>Medicines for psychotic disorders</p> <p>Oral &gt; Solid: 25 mg; 50 mg; 100 mg; 200 mg</p>	<b>Schizophrenia or other primary psychotic disorders</b>

## **Diazepam**

Section	Indications
<p>Medicines for anxiety disorders</p> <p>Oral &gt; Solid: 5 mg (scored); 2 mg (scored)</p>	<b>Anxiety</b>

## **Fluoxetine**

Section	Indications
<p>Medicines for depressive disorders</p> <p>Oral &gt; Solid: 20 mg (as hydrochloride)</p>	<b>Depressive disorders</b>
<p>Medicines for anxiety disorders</p> <p>Oral &gt; Solid: 20 mg (as hydrochloride)</p>	<b>Social anxiety disorder</b>
<p>Medicines for obsessive compulsive disorders</p> <p>Oral &gt; Solid: 20 mg (as hydrochloride)</p>	<b>Generalised anxiety disorder</b>
	<b>Panic disorder</b>
	<b>Obsessive-compulsive disorder</b>

## Fluphenazine

Section	Indications
Medicines for psychotic disorders Parenteral > General injections > IM: 25 mg per mL in ampoule (decanoate); 25 mg per mL in ampoule (enanthate)	Schizophrenia or other primary psychotic disorders

## Haloperidol

Section	Indications
Medicines for psychotic disorders Parenteral > General injections > IM: 5 mg per mL in ampoule Oral > Solid: 2 mg; 5 mg	Schizophrenia or other primary psychotic disorders

## Haloperidol decanoate

Section	Indications
Medicines for psychotic disorders	Therapeutic equivalent to fluphenazine for Schizophrenia or other primary psychotic disorders

## Lithium carbonate

Section	Indications
Medicines for bipolar disorders Oral > Solid: 300 mg	Bipolar or related disorders

## Lorazepam

Section	Indications
Medicines for anxiety disorders	Therapeutic equivalent to diazepam for Anxiety

## Methadone

Section	Indications
Medicines for opioid use disorders Oral > Liquid: 5 mg per 5 mL (methadone hydrochloride); 10 mg per 5 mL (methadone hydrochloride); 5 mg per mL concentrate for oral liquid (methadone hydrochloride); 10 mg per mL concentrate for oral liquid (methadone hydrochloride)	Opioid dependence

## Methylphenidate

Section	Indications
Medicines for mental and behavioural disorders Multiple formulations and strengths.	Attention deficit hyperactivity disorder

## Naltrexone

Section	Indications
Medicines for alcohol use disorders Parenteral > General injections > IM: 380 mg in vial (extended-release) Oral > Solid > tablet: 50 mg	Disorders due to use of alcohol

## Nicotine replacement therapy

Section	Indications
Medicines for nicotine use disorders Local > Topical > Transdermal patch: 5 to 30 mg per 16 hour; 7 to 21 mg per 24 hour Oral > Solid > lozenge: 2 mg; 4 mg lozenge Local > Buccal > Oral spray: 1 mg per actuation Local > Buccal > Chewing gum: 2 mg; 4 mg	Nicotine dependence

## Olanzapine

Section	Indications
Medicines for psychotic disorders Parenteral > General injections > IM: 10 mg in vial powder for injection	Therapeutic equivalent to <a href="#">risperidone</a> for  <a href="#">Schizophrenia or other primary psychotic disorders</a> <a href="#">Schizophrenia or other primary psychotic disorders</a>

## Paliperidone

Section	Indications
Medicines for psychotic disorders Parenteral > General injections > IM: 25 mg in pre-filled syringe (as palmitate); 50 mg in pre-filled syringe (as palmitate); 75 mg in pre-filled syringe (as palmitate); 100 mg in pre-filled syringe (as palmitate); 150 mg in pre-filled syringe (as palmitate)	Therapeutic equivalent to <a href="#">risperidone</a> for  <a href="#">Schizophrenia or other primary psychotic disorders</a> <a href="#">Schizophrenia or other primary psychotic disorders</a>

## Phenelzine

Section	Indications
Medicines for depressive disorders Oral > Solid > dosage form: 15 mg (as sulfate)	Other specified depressive disorders

## Quetiapine

Section	Indications
Medicines for psychotic disorders	Therapeutic equivalent to <a href="#">risperidone</a> for  <a href="#">Schizophrenia or other primary psychotic disorders</a>
Medicines for bipolar disorders Oral > Solid > tablet: 25 mg (immediate-release); 100 mg (immediate-release); 150 mg (immediate-release); 200 mg (immediate-release); 300 mg (immediate-release); 50 mg (modified-release); 150 mg (modified-release); 200 mg (modified-release); 300 mg (modified-release); 400 mg (modified-release)	Bipolar or related disorders

## Risperidone

Section	Indications
Medicines for psychotic disorders Oral > Solid: 0.25 mg; 0.5 mg; 1 mg; 2 mg; 3 mg; 4 mg; 6 mg Parenteral > General injections > IM:	<a href="#">Schizophrenia or other primary psychotic disorders</a>  Therapeutic equivalent to <a href="#">paliperidone</a> for <a href="#">Schizophrenia or other primary psychotic disorders</a>

## Valproic acid (sodium valproate)

Section	Indications
Medicines for bipolar disorders Oral > Solid: 200 mg tablet (enteric-coated); 500 mg tablet (enteric-coated)	<a href="#">Bipolar or related disorders</a>

## Varenicline

Section	Indications
Medicines for nicotine use disorders Oral > Solid: 0.5 mg; 1 mg	<a href="#">Nicotine dependence</a>

## Zuclopentixol decanoate

Section	Indications
Medicines for psychotic disorders	Therapeutic equivalent to <b>fluphenazine</b> for <b>Schizophrenia or other primary psychotic disorders</b>