

**Abacavir + lamivudine**

## Section

Fixed-dose combinations of antiretrovirals  
 Oral > Solid: 120 mg (as sulfate) + 60 mg tablet (dispersible, scored)

## Indications

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

**Abacavir + lamivudine + lopinavir + ritonavir**

## Section

Fixed-dose combinations of antiretrovirals  
 Oral > Solid: 30 mg + 15 mg + 40 mg + 10 mg capsule containing oral granules

## Indications

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

**Cobicistat + elvitegravir + emtricitabine + tenofovir disoproxil fumarate**

## Section

Fixed-dose combinations of antiretrovirals  
 Oral > Solid: 150 mg + 150 mg + 200 mg + 300 mg (tenofovir disoproxil fumarate equivalent to 245 mg tenofovir disoproxil)

## Indications

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

**Cobicistat + elvitegravir + emtricitabine+ tenofovir alafenamide**

## Section

Fixed-dose combinations of antiretrovirals  
 Oral > Solid: 150 mg + 150 mg + 200 mg + 10 mg

## Indications

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

**Dolutegravir + lamivudine + tenofovir**

## Section

Fixed-dose combinations of antiretrovirals  
 Oral > Solid: 50 mg + 300 mg + 300 mg (tenofovir disoproxil fumarate equivalent to 245 mg tenofovir disoproxil)

## Indications

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

**Efavirenz + emtricitabine + tenofovir**

## Section

Fixed-dose combinations of antiretrovirals  
 Oral > Solid: 600 mg + 200 mg + 300 mg (tenofovir disoproxil fumarate equivalent to 245 mg tenofovir disoproxil)

## Indications

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

## Efavirenz + lamivudine + tenofovir

### Section

Fixed-dose combinations of antiretrovirals

Oral > Solid: 400 mg + 300 mg + 300 mg (tenofovir disoproxil fumarate, equivalent to 245 mg tenofovir disoproxil)

### Indications

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

Therapeutic equivalent to efavirenz + emtricitabine + tenofovir for

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

## Emtricitabine + rilpivirine + tenofovir alafenamide

### Section

Fixed-dose combinations of antiretrovirals

Oral > Solid: 200 mg + 25 mg + 25 mg

### Indications

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

## Emtricitabine + rilpivirine + tenofovir disoproxil fumarate

### Section

Fixed-dose combinations of antiretrovirals

Oral > Solid: 200 mg + 25 mg + 300 mg (tenofovir disoproxil fumarate equivalent to 245 mg tenofovir disoproxil)

### Indications

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

## Emtricitabine + tenofovir

### Section

Fixed-dose combinations of antiretrovirals

Oral > Solid: 200 mg + 300 mg (tenofovir disoproxil fumarate equivalent to 245 mg tenofovir disoproxil)

### Indications

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

Contact with or exposure to human immunodeficiency virus

## Emtricitabine + tenofovir alafenamide

### Section

Fixed-dose combinations of antiretrovirals

Oral > Solid: 200 mg + 10 mg; 200 mg + 25 mg

### Indications

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

## Lamivudine + nevirapine + zidovudine

### Section

Fixed-dose combinations of antiretrovirals

Oral > Solid: 30 mg + 50 mg + 60 mg Tablet; 150 mg + 200 mg + 300 mg Tablet

### Indications

Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

## Lamivudine + tenofovir

### Section

Fixed-dose combinations of antiretrovirals

### Indications

Therapeutic equivalent to emtricitabine + tenofovir for

Human immunodeficiency virus disease  
without mention of associated disease or  
condition, clinical stage unspecified

Therapeutic equivalent to emtricitabine + tenofovir for

Contact with or exposure to human  
immunodeficiency virus

## Lamivudine + zidovudine

### Section

Fixed-dose combinations of antiretrovirals

Oral > Solid: 30 mg + 60 mg Tablet; 150 mg + 300 mg Tablet

### Indications

Human immunodeficiency virus disease  
without mention of associated disease or  
condition, clinical stage unspecified