

Beinaglutide

Section

Hypoglycaemic agents

Indications

Therapeutic equivalent to [semaglutide](#) for

Obesity

Canagliflozin

Section

Oral hypoglycaemic agents

Indications

Therapeutic equivalent to [empagliflozin](#) for

Type 2 diabetes mellitus

Dapagliflozin

Section

Oral hypoglycaemic agents

Indications

Therapeutic equivalent to [empagliflozin](#) for

Type 2 diabetes mellitus

Dulaglutide

Section

Hypoglycaemic agents

Indications

Therapeutic equivalent to [semaglutide](#) for

Obesity

Therapeutic equivalent to [semaglutide](#) for

Type 2 diabetes mellitus

Empagliflozin

Section

Oral hypoglycaemic agents

Oral > Solid: 10 mg; 25 mg

Indications

Type 2 diabetes mellitus

Exenatide

Section

Hypoglycaemic agents

Indications

Therapeutic equivalent to [semaglutide](#) for

Obesity

Glibenclamide

Section

Oral hypoglycaemic agents
Oral > Solid: 5 mg; 2.5 mg

Indications

Type 2 diabetes mellitus

Gliclazide

Section

Oral hypoglycaemic agents
Oral > Solid: 30 mg controlled-release; 60 mg controlled-release; 80 mg controlled-release

Indications

Type 2 diabetes mellitus

Liraglutide

Section

Hypoglycaemic agents

Indications

Therapeutic equivalent to semaglutide for

Obesity

Therapeutic equivalent to semaglutide for

Type 2 diabetes mellitus

Metformin

Section

Oral hypoglycaemic agents
Oral > Solid: 500 mg (hydrochloride)

Indications

Type 2 diabetes mellitus

Semaglutide

Section

Hypoglycaemic agents
Parenteral > General injections > SC: 0.25 mg in pre-filled pen injection solution; 0.5 mg in pre-filled pen injection solution; 1 mg in pre-filled pen injection solution; 2 mg in pre-filled pen injection solution; 4 mg in pre-filled pen injection solution
Oral > Solid > tablet: 3 mg
Parenteral > General injections > SC: 0.68 mg per mL; 1.34 mg per mL; 2.68 mg per mL

Indications

Obesity

Type 2 diabetes mellitus

Tirzepatide

Section

Hypoglycaemic agents

Indications

Therapeutic equivalent to **semaglutide** for

Obesity

Therapeutic equivalent to **semaglutide** for

Type 2 diabetes mellitus

Tolbutamide

Section

Oral hypoglycaemic agents

Oral > Solid: 500 mg

Indications

Type 2 diabetes mellitus