

## Condoms

Section	Indications
Barrier methods -	Contact with health services for contraceptive management

## Copper-containing intrauterine device

Section	Indications
Intrauterine devices -	Contact with health services for insertion of contraceptive device

## Diaphragms

Section	Indications
Barrier methods -	Contact with health services for contraceptive management

## Estradiol cypionate + medroxyprogesterone acetate

Section	Indications
Injectable hormonal contraceptives Parenteral > General injections > IM: 5 mg + 25 mg	Contact with health services for reasons associated with reproduction

## Ethinylestradiol + etonogestrel

Section	Indications
Intravaginal contraceptives Local > Vaginal > vaginal ring: 2.7 mg + 11.7 mg	Contact with health services for contraceptive management

## Ethinylestradiol + levonorgestrel

Section	Indications
Oral hormonal contraceptives Oral > Solid: 50 µg + 250 µg [4]	Contact with health services for postcoital contraception
Oral > Solid: 30 µg + 150 µg	Contact with health services for contraceptive management

## Ethinylestradiol + norethisterone

### Section

Oral hormonal contraceptives  
Oral > Solid: 35 µg + 1 mg

### Indications

Contact with health services for contraceptive management

## Etonogestrel-releasing implant

### Section

Implantable contraceptives  
Implant > Subdermal: 68 mg single rod

### Indications

Contact with health services for insertion of contraceptive device

## Levonorgestrel

### Section

Oral hormonal contraceptives  
Oral > Solid: 750 µg [2]; 1.5 mg [1]  
Oral > Solid: 30 µg

Intrauterine devices  
Intrauterine system with reservoir containing 52 mg of levonorgestrel.

### Indications

Contact with health services for postcoital contraception

Contact with health services for contraceptive management

Contact with health services for insertion of contraceptive device

## Levonorgestrel-releasing implant

### Section

Implantable contraceptives  
Implant > Subdermal: 75 mg per rod (two-rods)

### Indications

Contact with health services for insertion of contraceptive device

## Medroxyprogesterone acetate

### Section

Injectable hormonal contraceptives  
Parenteral > General injections > IM: 150 mg per mL in 1 mL vial  
Parenteral > General injections > SC: 104 mg per 0.65 mL in pre-filled syringe; 104 mg per 0.65 mL in single dose injection delivery system

### Indications

Contact with health services for reasons associated with reproduction

## Norethisterone

### Section

Oral hormonal contraceptives  
Oral > Solid: 350 µg

### Indications

Contact with health services for contraceptive management

## Norethisterone enantate

### Section

Injectable hormonal contraceptives  
Parenteral > General injections > IM: 200 mg per mL in 1 mL ampoule oily solution

### Indications

Contact with health services for reasons associated with reproduction

## Progesterone vaginal ring

### Section

Intravaginal contraceptives  
Local > Vaginal > vaginal ring: 2.074 g micronized progesterone

### Indications

Contact with health services for contraceptive management

## Ulipristal

### Section

Oral hormonal contraceptives  
Oral > Solid: 30 mg tablet (ulipristal acetate)

### Indications

Contact with health services for postcoital contraception