

**Albendazole**

## Section

Intestinal anthelmintics

Oral &gt; Solid &gt; tablet: 400 mg (chewable, scored)

## Indications

Echinococcosis

Enterobiasis

Trichuriasis

Hookworm diseases

Cysticercosis

Ascariasis

**Ivermectin**

## Section

Intestinal anthelmintics

Oral &gt; Solid &gt; tablet: 3 mg

## Indications

Strongyloidiasis

Ascariasis

Trichuriasis

Hookworm diseases

Ancylostomiasis

**Levamisole**

## Section

Intestinal anthelmintics

Oral &gt; Solid &gt; tablet: 50 mg (as hydrochloride); 150 mg (as hydrochloride)

## Indications

Ascariasis

**Mebendazole**

## Section

Intestinal anthelmintics

Oral &gt; Solid &gt; tablet: 100 mg (chewable); 500 mg (chewable)

## Indications

Ascariasis

Enterobiasis

Trichuriasis

Hookworm diseases

## Nicosamide

### Section

Intestinal anthelmintics

Oral > Solid: 500 mg tablet (chewable)

### Indications

Hymenolepiasis

Diphyllobothriasis

Taeniasis due to *Taenia saginata*

Taeniasis due to *Taenia solium*

## Praziquantel

### Section

Intestinal anthelmintics

Oral > Solid > tablet: 600 mg (scored); 500 mg; 150 mg

### Indications

Taeniasis due to *Taenia saginata*

Taeniasis due to *Taenia solium*

Hymenolepiasis

Diphyllobothriasis

## Pyrantel

### Section

Intestinal anthelmintics

Oral > Solid > tablet: 250 mg (chewable) (as embonate or pamoate)

### Indications

Ascariasis

Trichuriasis

Enterobiasis

Hookworm diseases