

**Amodiaquine + sulfadoxine + pyrimethamine**

## Section

Antimalarial medicines > For chemoprevention

Oral > Solid: 76.5 mg (as hydrochloride) [3] + 250 mg + 12.5 mg [1]  
dispersible tablets in co-package; 153 mg (as hydrochloride) [3] + 500 mg  
+ 25 mg [1] dispersible tablets in co-package

## Indications

Malaria

**Chloroquine**

## Section

Antimalarial medicines > For chemoprevention

Oral > Liquid: 50 mg per 5 mL syrup (as phosphate or sulfate)

Oral > Solid: 150 mg tablet (as phosphate or sulfate)

## Indications

Malaria due to *Plasmodium falciparum*

Malaria due to *Plasmodium vivax*

Malaria due to *Plasmodium ovale*

Malaria due to *Plasmodium malariae*

**Doxycycline**

## Section

Antimalarial medicines > For chemoprevention

Oral > Solid: 100 mg (hydrochloride or hyclate)

## Indications

Malaria due to *Plasmodium falciparum*

**Hydroxychloroquine**

## Section

Antimalarial medicines > For chemoprevention

## Indications

Therapeutic equivalent to chloroquine pour

Malaria due to *Plasmodium falciparum*

**Mefloquine**

## Section

Antimalarial medicines > For chemoprevention

Oral > Solid: 250 mg tablet (hydrochloride)

## Indications

Malaria due to *Plasmodium falciparum*

**Proguanil**

## Section

Antimalarial medicines > For chemoprevention

Oral > Solid: 100 mg tablet (hydrochloride)

## Indications

Malaria due to *Plasmodium falciparum*

## Sulfadoxine + pyrimethamine

### Section

Antimalarial medicines > For chemoprevention

Oral > Solid: 500 mg + 25 mg tablet

Oral > Solid: 250 mg + 12.5 mg tablet

### Indications

Malaria due to Plasmodium falciparum

Malaria