

Eflornithine

Section

Medicines for the treatment of 2nd stage African trypanosomiasis
 Parenteral > General injections > IV: 200 mg per mL in 50 mL bottle
 (hydrochloride)

Indications

Gambiense trypanosomiasis

Fexinidazole

Section

Medicines for the treatment of 1st stage African trypanosomiasis
 Oral > Solid > tablet: 600 mg
 Oral > Solid: 600 mg

Medicines for the treatment of 2nd stage African trypanosomiasis
 Oral > Solid > tablet: 600 mg
 Oral > Solid: 600 mg

Indications

Rhodesiense trypanosomiasis

Gambiense trypanosomiasis

Rhodesiense trypanosomiasis

Gambiense trypanosomiasis

Melarsoprol

Section

Medicines for the treatment of 2nd stage African trypanosomiasis
 Parenteral > General injections > IV: 3.6% in 5 mL ampoule solution (180
 mg of active compound)

Indications

Rhodesiense trypanosomiasis

Gambiense trypanosomiasis

Nifurtimox

Section

Medicines for the treatment of 2nd stage African trypanosomiasis
 Oral > Solid > tablet: 30 mg (scored); 120 mg (scored)

Indications

Gambiense trypanosomiasis

Pentamidine

Section

Medicines for the treatment of 1st stage African trypanosomiasis
 Parenteral > General injections > IM: 300 mg in vial (as isetionate)
 powder for injection

Indications

Gambiense trypanosomiasis

Suramin sodium

Section

Medicines for the treatment of 1st stage African trypanosomiasis
 Parenteral > General injections > IV: 1 g in vial

Indications

Rhodesiense trypanosomiasis

