



Liste modèle des médicaments essentiels

Cyanocobalamin

Section	Indications
Antianaemia medicines	Anaemias or other erythrocyte disorders

Darbepoetin alfa

Section	Indications
Antianaemia medicines	Therapeutic equivalent to erythropoiesis-stimulating agents pour Anaemia due to chronic disease

Epoetin alfa

Section	Indications
Antianaemia medicines	Therapeutic equivalent to erythropoiesis-stimulating agents pour Anaemia due to chronic disease

Epoetin beta

Section	Indications
Antianaemia medicines	Therapeutic equivalent to erythropoiesis-stimulating agents pour Anaemia due to chronic disease

Epoetin theta

Section	Indications
Antianaemia medicines	Therapeutic equivalent to erythropoiesis-stimulating agents pour Anaemia due to chronic disease

Erythropoiesis-stimulating agents

Section	Indications
<p>Antianaemia medicines</p> <p>Parenteral > General injections > unspecified: 1000 IU per 0.5 mL pre-filled syringe; 2000 IU per 0.5 mL pre-filled syringe; 3000 IU per 0.3 mL pre-filled syringe; 4000 IU per 0.4 mL pre-filled syringe; 5000 IU per 0.5 mL pre-filled syringe; 6000 IU per 0.6 mL pre-filled syringe; 8000 IU per 0.8 mL pre-filled syringe; 10000 IU per 1 mL pre-filled syringe; 20000 IU per 0.5 mL pre-filled syringe; 40000 IU per 1 mL pre-filled syringe</p>	Anaemia due to chronic disease

Ferrous salt

Section	Indications
<p>Antianaemia medicines</p> <p>Oral > Liquid: 25 mg per mL iron (as sulfate)</p> <p>Oral > Solid: 60 mg iron</p>	Iron deficiency anaemia

Ferrous salt + folic acid

Section	Indications
<p>Antianaemia medicines</p> <p>Oral > Solid: 60 mg iron + 2.8 mg</p> <p>Oral > Solid > tablet: 60 mg elemental iron + 400 µg tablet; 60 mg elemental iron + 2.8 mg</p>	<p>Iron deficiency anaemia</p> <p>Clefts of lip, alveolus or palate</p> <p>Iron deficiency anaemia</p> <p>Anencephaly or similar anomalies</p> <p>Spina bifida</p>

Folic acid

Section	Indications
<p>Antianaemia medicines</p> <p>Oral > Solid: 1 mg tablet; 5 mg tablet</p> <p>Oral > Solid: 400 µg</p>	<p>Folate deficiency anaemia</p> <p>Anencephaly or similar anomalies</p> <p>Spina bifida</p> <p>Cephalocele</p>

Hydroxocobalamin

Section	Indications
<p>Antianaemia medicines</p> <p>Parenteral > General injections > IM: 1 mg per mL in 1 mL ampoule (as acetate); 1 mg per mL in 1 mL ampoule (as hydrochloride); 1 mg per mL in 1 mL ampoule (as sulfate)</p>	Megaloblastic anaemia due to vitamin B12 deficiency

Methoxy polyethylene glycol-epoetin beta

Section	Indications
Antianaemia medicines	<p>Therapeutic equivalent to erythropoiesis-stimulating agents pour</p> <p>Anaemia due to chronic disease</p>