

**Bisoprolol**

## Section

Medicines used in heart failure  
Oral > Solid: 1.25 mg; 5 mg

## Indications

Heart failure

**Bumetanide**

## Section

Medicines used in heart failure

## Indications

Therapeutic equivalent to furosemide pour

Heart failure

**Captopril**

## Section

Medicines used in heart failure  
Oral > Solid: 25 mg

## Indications

Heart failure

**Carvedilol**

## Section

Medicines used in heart failure

## Indications

Therapeutic equivalent to bisoprolol pour

Heart failure

**Chlorothiazide**

## Section

Medicines used in heart failure

## Indications

Therapeutic equivalent to hydrochlorothiazide pour

Heart failure

**Chlortalidone**

## Section

Medicines used in heart failure

## Indications

Therapeutic equivalent to hydrochlorothiazide pour

Heart failure

## Digitoxin

### Section

#### Medicines used in heart failure

Parenteral > General injections > IV: 0.2 mg in 1 mL ampoule

Oral > Solid: 50 µg; 100 µg

### Indications

Heart failure

## Digoxin

### Section

#### Medicines used in heart failure

Parenteral > General injections > IV: 250 µg per mL in 2 mL ampoule; 100 µg per mL in 1 mL ampoule

Oral > Liquid: 50 µg per mL

Oral > Solid > tablet: 62.5 µg; 250 µg; 125 µg

### Indications

Heart failure

## Dopamine

### Section

#### Medicines used in heart failure

Parenteral > General injections > IV: 40 mg per mL in 5 mL vial (hydrochloride)

### Indications

Heart failure

Cardiogenic shock

## Enalapril

### Section

#### Medicines used in heart failure

Oral > Solid > tablet: 2.5 mg (as hydrogen maleate); 5 mg (as hydrogen maleate); 10 mg (as hydrogen maleate)

### Indications

Heart failure

## Furosemide

### Section

#### Medicines used in heart failure

Parenteral > General injections > IV: 10 mg per mL in 2 mL ampoule; 10 mg per mL in 5 mL ampoule

Oral > Liquid: 20 mg per 5 mL; 50 mg per 5 mL

Oral > Solid > tablet: 40 mg; 20 mg

### Indications

Heart failure

## Hydrochlorothiazide

### Section

Medicines used in heart failure

Oral > Liquid: 50 mg per 5 mL

Oral > Solid: 25 mg

### Indications

Heart failure

## Indapamide

### Section

Medicines used in heart failure

### Indications

Therapeutic equivalent to hydrochlorothiazide pour

Heart failure

## Losartan

### Section

Medicines used in heart failure

Oral > Solid: 25 mg tablet; 50 mg tablet; 100 mg tablet

### Indications

Heart failure

## Metoprolol

### Section

Medicines used in heart failure

### Indications

Therapeutic equivalent to bisoprolol pour

Heart failure

## Spironolactone

### Section

Medicines used in heart failure

Oral > Solid > tablet: 25 mg

### Indications

Heart failure

## Torsemide

### Section

Medicines used in heart failure

### Indications

Therapeutic equivalent to furosemide pour

Heart failure