



# Liste modèle des médicaments essentiels

## Benzoic acid + salicylic acid

Section	Indications
Dermatological medicines > Antifungal medicines	Fungal infection of the skin
Local > Topical > Cream: 6% + 3%	
Local > Topical > Ointment: 6% + 3%	

## Benzoyl peroxide

Section	Indications
Dermatological medicines > Medicines affecting skin differentiation and proliferation	Acne
Local > Topical > Cream: 5%	
Local > Topical > Lotion: 5%	

## Benzyl benzoate

Section	Indications
Dermatological medicines > Scabicides and pediculicides	Pthiriasis
Local > Topical > Lotion: 25%	Pediculosis corporis
	Pediculosis capitis
	Scabies

## Betamethasone

Section	Indications
Dermatological medicines > Anti-inflammatory and antipruritic medicines	Pruritus due to skin disorder
Local > Topical > Cream: 0.1% (as valerate)	Psoriasis of unspecified type
Local > Topical > Ointment: 0.1% (as valerate)	Dermatitis or eczema
	Lichen planus

## Calamine

Section	Indications
Dermatological medicines > Anti-inflammatory and antipruritic medicines	
Local > Topical > Lotion:	Pruritus

## Calcipotriol

Section	Indications
Dermatological medicines > Medicines affecting skin differentiation and proliferation Local > Topical > Cream: 50 µg per mL (0.005%) Local > Topical > Lotion: 50 µg per mL (0.005%) Local > Topical > Ointment: 50 µg per mL (0.005%)	Psoriasis of unspecified type

## Calcitriol

Section	Indications
Dermatological medicines > Medicines affecting skin differentiation and proliferation	Therapeutic equivalent to calcipotriol pour Psoriasis of unspecified type

## Coal tar

Section	Indications
Dermatological medicines > Medicines affecting skin differentiation and proliferation Local > Topical > Solution: 5%	Psoriasis of unspecified type

## Fluorouracil

Section	Indications
Dermatological medicines > Medicines affecting skin differentiation and proliferation Local > Topical > Ointment: 5%	Plantar warts

## Hydrocortisone

Section	Indications
Dermatological medicines > Anti-inflammatory and antipruritic medicines Local > Topical > Cream: 1% (acetate) Local > Topical > Ointment: 1% (acetate)	Dermatitis or eczema Lichen planus Pruritus due to skin disorder Psoriasis of unspecified type

## Lindane

Section	Indications
Dermatological medicines > Scabicides and pediculicides Local > Topical > Cream: 1% Local > Topical > Lotion: 1%	Scabies

## Methotrexate

Section	Indications
Dermatological medicines > Medicines affecting skin differentiation and proliferation Oral > Solid > tablet: 2.5 mg (as sodium salt); 10 mg (as sodium salt)	Psoriasis of unspecified type

## Miconazole

Section	Indications
Dermatological medicines > Antifungal medicines Local > Topical > Cream: 2% (nitrate) Local > Topical > Ointment: 2% (nitrate)	Fungal infection of the skin

## Mupirocin

Section	Indications
Dermatological medicines > Anti-infective medicines Local > Topical > Cream: 2% (as mupirocin calcium) Local > Topical > Ointment: 2%	Superficial bacterial folliculitis Impetigo

## Permethrin

Section	Indications
Dermatological medicines > Scabicides and pediculicides Local > Topical > Lotion: 1% Local > Topical > Cream: 5%	Pediculosis corporis Pediculosis capitis Scabies

## Podophyllotoxin

Section	Indications
Dermatological medicines > Medicines affecting skin differentiation and proliferation	Therapeutic equivalent to <a href="#">podophyllum resin pour</a> <a href="#">Anogenital warts</a> Therapeutic equivalent to <a href="#">podophyllum resin pour</a> <a href="#">Plantar warts</a>

## Podophyllum resin

Section	Indications
Dermatological medicines > Medicines affecting skin differentiation and proliferation Local > Topical > Solution: 10 to 25%	<a href="#">Anogenital warts</a> <a href="#">Plantar warts</a>

## Potassium permanganate

Section	Indications
Dermatological medicines > Anti-infective medicines Local > Topical > Solution: aqueous solution: 1:10 000	Tropical phagedaenic ulcer Pemphigus Other specified pyogenic bacterial infection of skin and subcutaneous tissue Impetigo

## Precipitated sulfur

Section	Indications
Dermatological medicines > Scabicides and pediculicides Local > Topical > Ointment:	Therapeutic equivalent to <a href="#">benzyl benzoate</a> pour <a href="#">Pthiriasis</a> Therapeutic equivalent to <a href="#">benzyl benzoate</a> pour <a href="#">Pediculosis corporis</a> Therapeutic equivalent to <a href="#">benzyl benzoate</a> pour <a href="#">Pediculosis capitis</a> Therapeutic equivalent to <a href="#">benzyl benzoate</a> pour <a href="#">Scabies</a>

## Salicylic acid

Section	Indications
Dermatological medicines > Medicines affecting skin differentiation and proliferation Local > Topical > Solution: 5%	<a href="#">Seborrhoeic dermatitis</a> <a href="#">Psoriasis of unspecified type</a> <a href="#">Ichthyoses</a>

## Selenium sulfide

Section	Indications
Dermatological medicines > Antifungal medicines Local > Topical > Suspension: 2% detergent-based	<a href="#">Seborrhoeic dermatitis</a> <a href="#">Pityriasis versicolor</a>

## Silver sulfadiazine

Section	Indications
Dermatological medicines > Anti-infective medicines Local > Topical > Cream: 1%	<a href="#">Burns</a>

## Sodium thiosulfate

Section	Indications
Dermatological medicines > Antifungal medicines Local > Topical > Solution: 15%	Pityriasis versicolor

## Sunscreen (broad-spectrum)

Section	Indications
Dermatological medicines Topical cream, lotion, gel, ointment, spray with sun protection factor $\geq$ 50.	Albinism or other specified genetically-determined hypomelanotic disorders Xeroderma pigmentosum

## Tacalcitol

Section	Indications
Dermatological medicines > Medicines affecting skin differentiation and proliferation	Therapeutic equivalent to calcipotriol pour Psoriasis of unspecified type

## Terbinafine

Section	Indications
Dermatological medicines > Antifungal medicines Local > Topical > Cream: 1% terbinafine hydrochloride Local > Topical > Ointment: 1% terbinafine hydrochloride	Fungal infection of the skin

## Urea

Section	Indications
Dermatological medicines > Medicines affecting skin differentiation and proliferation Local > Topical > Cream: 10%; 5% Local > Topical > Ointment: 10%; 5%	Xerosis cutis or asteatosis

## Ustekinumab

Section	Indications
Dermatological medicines > Medicines affecting skin differentiation and proliferation Parenteral > General injections > SC: 45 mg per 0.5 mL in vial; 90 mg per mL in pre-filled syringe	Psoriasis of unspecified type