



Liste modèle des médicaments essentiels

Canagliflozin

Section	Indications
Oral hypoglycaemic agents	Therapeutic equivalent to empagliflozin pour Type 2 diabetes mellitus

Dapagliflozin

Section	Indications
Oral hypoglycaemic agents	Therapeutic equivalent to empagliflozin pour Type 2 diabetes mellitus

Empagliflozin

Section	Indications
Oral hypoglycaemic agents Oral > Solid: 10 mg; 25 mg	Type 2 diabetes mellitus

Glibenclamide

Section	Indications
Oral hypoglycaemic agents Oral > Solid: 5 mg; 2.5 mg	Type 2 diabetes mellitus

Gliclazide

Section	Indications
Oral hypoglycaemic agents Oral > Solid: 30 mg controlled-release; 60 mg controlled-release; 80 mg controlled-release	Type 2 diabetes mellitus

Insulin

Section	Indications
Insulins Parenteral > General injections > SC: 40 IU per mL in 10 mL vial (soluble); 100 IU per mL in 10 mL vial (soluble); 100 IU per mL in 3 mL cartridge (soluble); 100 IU per mL in 3 mL pre-filled pen (soluble)	Type 2 diabetes mellitus Type 1 diabetes mellitus

Insulin analogues

Section	Indications
Insulins	Type 1 diabetes mellitus
Not specified	Type 2 diabetes mellitus

Insulin degludec

Section	Indications
Insulins	Therapeutic equivalent to insulin glargine pour
Parenteral > General injections > SC: 100 units per mL	Type 1 diabetes mellitus
	Therapeutic equivalent to long-acting insulin analogues pour
	Type 1 diabetes mellitus
	Therapeutic equivalent to long-acting insulin analogues pour
	Type 2 diabetes mellitus

Insulin detemir

Section	Indications
Insulins	Therapeutic equivalent to insulin glargine pour
	Type 1 diabetes mellitus
	Therapeutic equivalent to long-acting insulin analogues pour
	Type 1 diabetes mellitus
	Therapeutic equivalent to long-acting insulin analogues pour
	Type 2 diabetes mellitus

Insulin glargine

Section	Indications
Insulins	Type 1 diabetes mellitus
Parenteral > General injections > SC: 100 units per mL	Therapeutic equivalent to long-acting insulin analogues pour
	Type 1 diabetes mellitus
	Therapeutic equivalent to long-acting insulin analogues pour
	Type 2 diabetes mellitus

Intermediate-acting insulin

Section	Indications
Insulins Parenteral > General injections > SC: 40 IU per mL in 10 mL vial as compound insulin zinc suspension or isophane insulin; 100 IU per mL in 10 mL vial as compound insulin zinc suspension or isophane insulin; 100 IU per mL in 3 mL cartridge as compound insulin zinc suspension or isophane insulin; 100 IU per mL in 3 mL pre-filled pen as compound insulin zinc suspension or isophane insulin	Type 1 diabetes mellitus Type 2 diabetes mellitus

Long-acting insulin analogues

Section	Indications
Insulins Parenteral > General injections > SC: 100 IU per mL in 3 mL cartridge; 100 IU per mL in 3 mL pre-filled pen	Type 1 diabetes mellitus Type 2 diabetes mellitus

Metformin

Section	Indications
Oral hypoglycaemic agents Oral > Solid: 500 mg (hydrochloride)	Type 2 diabetes mellitus

Tolbutamide

Section	Indications
Oral hypoglycaemic agents Oral > Solid: 500 mg	Type 2 diabetes mellitus