

## Anti-rabies virus monoclonal antibodies

## Section

Immunologicals > Sera, immunoglobulins and monoclonal antibodies  
 Parenteral > Locoregional injections > Intradermal: 40 IU per mL in 1.25 mL vial (human); 40 IU per mL in 2.5 mL vial (human); 100 IU per mL in 2.5 mL vial (human); 300 IU per mL in 10 mL vial (murine); 600 IU per mL in 1 mL vial (murine); 600 IU per mL in 2.5 mL vial (murine); 600 IU per mL in 5 mL vial (murine)

## Indications

Rabies

## Antirabies hyperimmune serum

## Section

Immunologicals > Sera, immunoglobulins and monoclonal antibodies  
 Parenteral > General injections > unspecified: 1000 IU in 5 mL ampoule

## Indications

Rabies

## Antivenom immunoglobulin

## Section

Immunologicals > Sera, immunoglobulins and monoclonal antibodies  
 Parenteral > General injections > IV:

## Indications

Harmful effects of or exposure to noxious substances, chiefly nonmedicinal as to source, not elsewhere classified

## Antivenom sera

## Section

Immunologicals > Sera, immunoglobulins and monoclonal antibodies  
 Parenteral > General injections > IV:

## Indications

Harmful effects of or exposure to noxious substances, chiefly nonmedicinal as to source, not elsewhere classified

## Diphtheria antitoxin

## Section

Immunologicals > Sera, immunoglobulins and monoclonal antibodies  
 Parenteral > General injections > IM: 10000 IU in vial; 20000 IU in vial

## Indications

Need for immunization against diphtheria alone

## Equine rabies immunoglobulin

## Section

Immunologicals > Sera, immunoglobulins and monoclonal antibodies  
 Parenteral > Locoregional injections > Intradermal: 150 IU per mL in vial; 200 IU per mL in vial; 300 IU per mL in vial; 400 IU per mL in vial

## Indications

Rabies

## Snake antivenom

### Section

Immunologicals > Sera, immunoglobulins and monoclonal antibodies

.

### Indications

Harmful effects of or exposure to noxious substances, chiefly nonmedicinal as to source, not elsewhere classified

## Tetanus antitoxin

### Section

Immunologicals > Sera, immunoglobulins and monoclonal antibodies

Parenteral > General injections > IM: 50000 IU in vial

### Indications

Tetanus