

**Acamprosate calcium**

## Section

Medicines for alcohol use disorders  
Oral > Solid > tablet: 333 mg

## Indications

Disorders due to use of alcohol

**Amitriptyline**

## Section

Medicines for depressive disorders  
Oral > Solid: 25 mg; 75 mg

## Indications

Depressive disorders

**Aripiprazole**

## Section

Medicines for psychotic disorders

## Indications

Therapeutic equivalent to risperidone pour

Schizophrenia or other primary psychotic disorders

**Buprenorphine**

## Section

Medicines for opioid use disorders

## Indications

Therapeutic equivalent to methadone pour

Opioid dependence

**Bupropion**

## Section

Medicines for nicotine use disorders  
Oral > Solid: 150 mg sustained-release (hydrochloride)

## Indications

Nicotine dependence

**Carbamazepine**

## Section

Medicines for bipolar disorders  
Oral > Solid > tablet: 100 mg (scored); 200 mg (scored); 400 mg

## Indications

Bipolar or related disorders

## Chlorpromazine

### Section

#### Medicines for psychotic disorders

Oral > Liquid: 25 mg per 5 mL (hydrochloride)

Oral > Solid: 100 mg (hydrochloride)

Oral > Solid: 100 mg (hydrochloride); 10 mg (hydrochloride); 25 mg (hydrochloride); 50 mg (hydrochloride)

Parenteral > General injections > unspecified: 25 mg per mL in 2 mL ampoule (hydrochloride)

### Indications

Therapeutic equivalent to haloperidol pour

Schizophrenia or other primary psychotic disorders

Schizophrenia or other primary psychotic disorders

## Clomipramine

### Section

#### Medicines for obsessive compulsive disorders

Oral > Solid: 10 mg (hydrochloride); 25 mg (hydrochloride)

### Indications

Obsessive-compulsive disorder

## Clozapine

### Section

#### Medicines for psychotic disorders

Oral > Solid: 25 mg; 50 mg; 100 mg; 200 mg

### Indications

Schizophrenia or other primary psychotic disorders

## Diazepam

### Section

#### Medicines for anxiety disorders

Oral > Solid: 5 mg (scored); 2 mg (scored)

### Indications

Anxiety

## Fluoxetine

### Section

#### Medicines for depressive disorders

Oral > Solid: 20 mg (as hydrochloride)

#### Medicines for anxiety disorders

Oral > Solid: 20 mg (as hydrochloride)

#### Medicines for obsessive compulsive disorders

Oral > Solid: 20 mg (as hydrochloride)

### Indications

Depressive disorders

Social anxiety disorder

Generalised anxiety disorder

Panic disorder

Obsessive-compulsive disorder

## Fluphenazine

### Section

Medicines for psychotic disorders  
Parenteral > General injections > IM: 25 mg per mL in ampoule (decanoate); 25 mg per mL in ampoule (enanthatate)

### Indications

Schizophrenia or other primary psychotic disorders

## Haloperidol

### Section

Medicines for psychotic disorders  
Parenteral > General injections > IM: 5 mg per mL in ampoule  
Oral > Solid: 2 mg; 5 mg

### Indications

Schizophrenia or other primary psychotic disorders

## Haloperidol decanoate

### Section

Medicines for psychotic disorders

### Indications

Therapeutic equivalent to fluphenazine pour

Schizophrenia or other primary psychotic disorders

## Lithium carbonate

### Section

Medicines for bipolar disorders  
Oral > Solid: 300 mg

### Indications

Bipolar or related disorders

## Lorazepam

### Section

Medicines for anxiety disorders

### Indications

Therapeutic equivalent to diazepam pour

Anxiety

## Methadone

### Section

Medicines for opioid use disorders  
Oral > Liquid: 5 mg per 5 mL (methadone hydrochloride); 10 mg per 5 mL (methadone hydrochloride); 5 mg per mL concentrate for oral liquid (methadone hydrochloride); 10 mg per mL concentrate for oral liquid (methadone hydrochloride)

### Indications

Opioid dependence

## Methylphenidate

### Section

Medicines for mental and behavioural disorders  
Multiple formulations and strengths.

### Indications

Attention deficit hyperactivity disorder

## Naltrexone

### Section

Medicines for alcohol use disorders  
Parenteral > General injections > IM: 380 mg in vial (extended-release)  
Oral > Solid > tablet: 50 mg

### Indications

Disorders due to use of alcohol

## Nicotine replacement therapy

### Section

Medicines for nicotine use disorders  
Local > Topical > Transdermal patch: 5 to 30 mg per 16 hour; 7 to 21 mg per 24 hour  
Oral > Solid > lozenge: 2 mg; 4 mg lozenge  
Local > Buccal > Oral spray: 1 mg per actuation  
Local > Buccal > Chewing gum: 2 mg; 4 mg

### Indications

Nicotine dependence

## Olanzapine

### Section

Medicines for psychotic disorders  
Parenteral > General injections > IM: 10 mg in vial powder for injection

### Indications

Therapeutic equivalent to risperidone pour

Schizophrenia or other primary psychotic disorders

Schizophrenia or other primary psychotic disorders

## Paliperidone

### Section

Medicines for psychotic disorders  
Parenteral > General injections > IM: 25 mg in pre-filled syringe (as palmitate); 50 mg in pre-filled syringe (as palmitate); 75 mg in pre-filled syringe (as palmitate); 100 mg in pre-filled syringe (as palmitate); 150 mg in pre-filled syringe (as palmitate)

### Indications

Therapeutic equivalent to risperidone pour

Schizophrenia or other primary psychotic disorders

Schizophrenia or other primary psychotic disorders

## Phenelzine

### Section

Medicines for depressive disorders

Oral > Solid > dosage form: 15 mg (as sulfate)

### Indications

Other specified depressive disorders

## Quetiapine

### Section

Medicines for psychotic disorders

Medicines for bipolar disorders

Oral > Solid > tablet: 25 mg (immediate-release); 100 mg (immediate-release); 150 mg (immediate-release); 200 mg (immediate-release); 300 mg (immediate-release); 50 mg (modified-release); 150 mg (modified-release); 200 mg (modified-release); 300 mg (modified-release); 400 mg (modified-release)

### Indications

Therapeutic equivalent to risperidone pour

Schizophrenia or other primary psychotic disorders

Bipolar or related disorders

## Risperidone

### Section

Medicines for psychotic disorders

Oral > Solid: 0.25 mg; 0.5 mg; 1 mg; 2 mg; 3 mg; 4 mg; 6 mg

Parenteral > General injections > IM:

### Indications

Schizophrenia or other primary psychotic disorders

Therapeutic equivalent to paliperidone pour

Schizophrenia or other primary psychotic disorders

## Valproic acid (sodium valproate)

### Section

Medicines for bipolar disorders

Oral > Solid: 200 mg tablet (enteric-coated); 500 mg tablet (enteric-coated)

### Indications

Bipolar or related disorders

## Varenicline

### Section

Medicines for nicotine use disorders

Oral > Solid: 0.5 mg; 1 mg

### Indications

Nicotine dependence

## Zuclopenthixol decanoate

### Section

Medicines for psychotic disorders

### Indications

Therapeutic equivalent to fluphenazine pour

Schizophrenia or other primary psychotic disorders