



Liste modèle des médicaments essentiels

Aztreonam

Section	Indications
Reserve group antibiotics Parenteral > General injections > unspecified: 1 g in vial powder for injection; 2 g in vial powder for injection	Other specified bacterial diseases

Cefiderocol

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 1 g in vial (as sulfate tosylate) powder for injection	Carbapenem-resistant <i>Pseudomonas aeruginosa</i>
	Carbapenem resistant Enterobacteriales

Ceftaroline

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 400 mg in vial (as fosamil) powder for injection; 600 mg in vial (as fosamil) powder for injection	Other specified bacterial diseases

Ceftazidime + avibactam

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 2 g in vial + 0.5 g in vial powder for injection	Carbapenem-resistant <i>Pseudomonas aeruginosa</i>
	Carbapenem resistant Enterobacteriales

Ceftolozane + tazobactam

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 1 g + 0.5 g powder for injection	Carbapenem-resistant <i>Pseudomonas aeruginosa</i>

Colistin (injection)

Section	Indications
Reserve group antibiotics	Other specified bacterial diseases
Parenteral > General injections > unspecified: 1 million IU in vial (as colistemethate sodium)	Carbapenem resistant Acinetobacter baumannii
Parenteral > General injections > unspecified: 1 million IU in vial (as colistemethate sodium) (equivalent to 34 mg colistin base activity)	Carbapenem-resistant Pseudomonas aeruginosa
	Carbapenem resistant Enterobacterales

Daptomycin

Section	Indications
Reserve group antibiotics	Other specified bacterial diseases

Eravacycline

Section	Indications
Reserve group antibiotics	Carbapenem resistant Enterobacterales

Fifth generation cephalosporins

Section	Indications
Reserve group antibiotics	Other specified bacterial diseases

Fosfomycin (injection)

Section	Indications
Reserve group antibiotics	Other specified bacterial diseases
Parenteral > General injections > IV: 2 g in vial (as sodium) powder for injection; 4 g in vial (as sodium) powder for injection	Carbapenem resistant Acinetobacter baumannii
	Carbapenem-resistant Pseudomonas aeruginosa
	Carbapenem resistant Enterobacterales

Imipenem + cilastatin + relebactam

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 500 mg + 500 mg + 250 mg powder for injection	Other specified other antibiotic resistant Enterobacteriales Carbapenem resistant Enterobacteriales Carbapenem-resistant Pseudomonas aeruginosa

Linezolid

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 2 mg per mL in 300 mL bag Oral > Liquid: 100 mg per 5 mL powder for oral liquid Oral > Solid: 400 mg tablet; 600 mg tablet Oral > Solid > dispersible tablet: 150 mg Oral > Solid > tablet: 600 mg	Other specified bacterial diseases Methicillin resistant Staphylococcus aureus Vancomycin resistant Staphylococcus aureus Vancomycin resistant Enterococcus

Meropenem + vaborbactam

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 1 g in vial + 1 g in vial powder for injection	Carbapenem-resistant Pseudomonas aeruginosa Carbapenem resistant Enterobacteriales Carbapenem resistant Acinetobacter baumannii

Omadacycline

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 100 mg lyophilized powder for injection Oral > Solid: 300 mg	Methicillin resistant Staphylococcus aureus

Oxazolidinones

Section	Indications
Reserve group antibiotics	Other specified bacterial diseases

Plazomicin

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 500 mg per 10 mL	Carbapenem resistant Acinetobacter baumannii Carbapenem-resistant Pseudomonas aeruginosa Carbapenem resistant Enterobacterales

Polymyxin B (injection)

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 500000 IU in vial powder for injection (equivalent to 50 mg polymyxin B base)	Carbapenem resistant Acinetobacter baumannii Carbapenem-resistant Pseudomonas aeruginosa Carbapenem resistant Enterobacterales

Polymyxins

Section	Indications
Reserve group antibiotics	Other specified bacterial diseases

Tedizolid

Section	Indications
Reserve group antibiotics	Therapeutic equivalent to linezolid pour Methicillin resistant Staphylococcus aureus
	Therapeutic equivalent to linezolid pour Vancomycin resistant Staphylococcus aureus
	Therapeutic equivalent to linezolid pour Vancomycin resistant Enterococcus

Tigecycline

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 50 mg in vial powder for injection	Other specified bacterial diseases