



Liste modèle des médicaments essentiels

Abiraterone

Section	Indications
Hormones and antihormones Oral > Solid: 250 mg; 500 mg	Malignant neoplasms of prostate

Anastrozole

Section	Indications
Hormones and antihormones Oral > Solid: 1 mg tablet	Other specified malignant neoplasms of breast
	Malignant neoplasms of breast

Bicalutamide

Section	Indications
Hormones and antihormones Oral > Solid: 50 mg	Malignant neoplasms of prostate

Dexamethasone

Section	Indications
Hormones and antihormones Oral > Solid: 4 mg	Plasma cell myeloma
Parenteral > General injections > unspecified: 4 mg per mL in 1 mL ampoule (as disodium phosphate salt)	Lymphoid leukaemia, not elsewhere classified
Oral > Liquid: 2 mg per 5 mL	Burkitt lymphoma including Burkitt leukaemia
Oral > Solid: 2 mg; 4 mg	Anaplastic large cell lymphoma, ALK-negative
	Anaplastic large cell lymphoma, ALK-positive

Enzalutamide

Section	Indications
Hormones and antihormones Oral > Solid: 40 mg	Therapeutic equivalent to abiraterone pour
	Malignant neoplasms of prostate
	Malignant neoplasms of prostate

Flutamide

Section	Indications
Hormones and antihormones Parenteral > General injections > IV: 250 mg per 5 mL	Therapeutic equivalent to bicalutamide pour Malignant neoplasms of prostate

Fulvestrant

Section	Indications
Hormones and antihormones Parenteral > General injections > IV: 250 mg per 5 mL	Malignant neoplasms of breast

Goserelin

Section	Indications
Hormones and antihormones	Therapeutic equivalent to leuprorelin pour Malignant neoplasms of breast
	Therapeutic equivalent to leuprorelin pour Malignant neoplasms of prostate

Hydrocortisone

Section	Indications
Hormones and antihormones Parenteral > General injections > unspecified: 100 mg in vial (as sodium succinate)	Lymphoid leukaemia, not elsewhere classified Unspecified malignant neoplasms of ill-defined or unspecified sites Burkitt lymphoma including Burkitt leukaemia

Leuprorelin

Section	Indications
Hormones and antihormones Parenteral > General injections > IM: 7.5 mg in prefilled syringe; 22.5 mg in prefilled syringe	Malignant neoplasms of breast Malignant neoplasms of prostate

Methylprednisolone

Section	Indications
Hormones and antihormones Parenteral > General injections > IV: 40 mg per mL in 1 mL single-dose vial (as sodium succinate); 40 mg per mL in 5 mL multi-dose vial (as sodium succinate); 80 mg per mL in 1 mL single-dose vial (as sodium succinate)	Lymphoid leukaemia, not elsewhere classified Burkitt lymphoma including Burkitt leukaemia

Nilutamide

Section	Indications
Hormones and antihormones	Therapeutic equivalent to bicalutamide pour Malignant neoplasms of prostate

Prednisolone

Section	Indications
Hormones and antihormones Oral > Liquid: 5 mg per mL Oral > Solid: 5 mg; 25 mg	Unspecified malignant neoplasms of ill-defined or unspecified sites Plasma cell myeloma Follicular lymphoma Lymphoid leukaemia, not elsewhere classified Malignant neoplasms of prostate Chronic lymphocytic leukaemia or small lymphocytic lymphoma Hodgkin lymphoma Diffuse large B-cell lymphomas Burkitt lymphoma including Burkitt leukaemia Anaplastic large cell lymphoma, ALK-negative Anaplastic large cell lymphoma, ALK-positive Langerhans cell histiocytosis

Prednisone

Section	Indications
Hormones and antihormones	<p>Therapeutic equivalent to prednisolone pour</p> <p>Plasma cell myeloma</p>
	<p>Therapeutic equivalent to prednisolone pour</p> <p>Follicular lymphoma</p>
	<p>Therapeutic equivalent to prednisolone pour</p> <p>Lymphoid leukaemia, not elsewhere classified</p>
	<p>Therapeutic equivalent to prednisolone pour</p> <p>Malignant neoplasms of prostate</p>
	<p>Therapeutic equivalent to prednisolone pour</p> <p>Chronic lymphocytic leukaemia or small lymphocytic lymphoma</p>
	<p>Therapeutic equivalent to prednisolone pour</p> <p>Hodgkin lymphoma</p>
	<p>Therapeutic equivalent to prednisolone pour</p> <p>Diffuse large B-cell lymphomas</p>
	<p>Therapeutic equivalent to prednisolone pour</p> <p>Anaplastic large cell lymphoma, ALK-negative</p>
	<p>Therapeutic equivalent to prednisolone pour</p> <p>Anaplastic large cell lymphoma, ALK-positive</p>
	<p>Therapeutic equivalent to prednisolone pour</p> <p>Langerhans cell histiocytosis</p>

Tamoxifen

Section	Indications
Hormones and antihormones Oral > Solid: 10 mg (as citrate); 20 mg (as citrate)	<p>Other specified malignant neoplasms of breast</p> <p>Malignant neoplasms of breast</p>

Triptorelin

Section	Indications
Hormones and antihormones	<p>Therapeutic equivalent to leuprorelin pour</p> <p>Malignant neoplasms of breast</p> <p>Therapeutic equivalent to leuprorelin pour</p> <p>Malignant neoplasms of prostate</p>