

Anti-D immunoglobulin

Section	Indications
Human immunoglobulins Parenteral > General injections > IV: 250 µg in single-dose vial Parenteral > General injections > IM: 250 µg in single-dose vial	<div style="border: 1px solid #0070C0; border-radius: 5px; padding: 2px; margin-bottom: 5px;">Maternal care for red cell antibodies</div> <div style="border: 1px solid #0070C0; border-radius: 5px; padding: 2px;">Rh incompatibility reaction</div>

Anti-rabies immunoglobulin

Section	Indications
Human immunoglobulins Parenteral > General injections > IM: 150 IU per mL in vial Parenteral > Locoregional injections > Other: 150 IU per mL in vial	<div style="border: 1px solid #0070C0; border-radius: 5px; padding: 2px;">Rabies</div>

Anti-tetanus immunoglobulin

Section	Indications
Human immunoglobulins Parenteral > General injections > IM: 500 IU in vial	<div style="border: 1px solid #0070C0; border-radius: 5px; padding: 2px;">Tetanus</div>

C1 esterase inhibitor

Section	Indications
Plasma-derived medicines Parenteral > General injections > IV: 500 IU in vial powder for injection	<div style="border: 1px solid #0070C0; border-radius: 5px; padding: 2px; background-color: #f0f0f0;">Hereditary angioedema</div>

Coagulation factor IX

Section	Indications
Blood coagulation factors Parenteral > General injections > IV: 500 IU in vial powder for injection; 1000 IU in vial powder for injection	<div style="border: 1px solid #0070C0; border-radius: 5px; padding: 2px; margin-bottom: 5px;">Coagulation defects, purpura or other haemorrhagic or related conditions</div> <div style="border: 1px solid #0070C0; border-radius: 5px; padding: 2px;">Haemophilia B</div>

Coagulation factor IX complex

Section	Indications
Blood coagulation factors	Therapeutic equivalent to coagulation factor IX for <div style="border: 1px solid #0070C0; border-radius: 5px; padding: 2px; margin-bottom: 5px;">Coagulation defects, purpura or other haemorrhagic or related conditions</div> Therapeutic equivalent to coagulation factor IX for <div style="border: 1px solid #0070C0; border-radius: 5px; padding: 2px;">Haemophilia B</div>

Coagulation factor VIII

Section

Blood coagulation factors

Parenteral > General injections > IV: 250 IU in vial powder for injection;
500 IU in vial powder for injection; 1000 IU in vial powder for injection

Indications

Haemophilia A

Normal immunoglobulin

Section

Human immunoglobulins

Parenteral > General injections > IV: 5% protein solution; 10% protein
solution

Parenteral > General injections > IM: 16% protein solution

Parenteral > General injections > SC: 15% protein solution; 16% protein
solution

Indications

Primary immunodeficiencies

Mucocutaneous lymph node syndrome

Langerhans cell histiocytosis