

**Benzoic acid + salicylic acid**

## Section

Dermatological medicines &gt; Antifungal medicines

Local &gt; Topical &gt; Cream: 6% + 3%

Local &gt; Topical &gt; Ointment: 6% + 3%

## Indications

Fungal infection of the skin

**Benzoyl peroxide**

## Section

Dermatological medicines &gt; Medicines affecting skin differentiation and proliferation

Local &gt; Topical &gt; Cream: 5%

Local &gt; Topical &gt; Lotion: 5%

## Indications

Acne

**Benzyl benzoate**

## Section

Dermatological medicines &gt; Scabicides and pediculicides

Local &gt; Topical &gt; Lotion: 25%

## Indications

Pthiriasis

Pediculosis corporis

Pediculosis capitis

Scabies

**Betamethasone**

## Section

Dermatological medicines &gt; Anti-inflammatory and antipruritic medicines

Local &gt; Topical &gt; Cream: 0.1% (as valerate)

Local &gt; Topical &gt; Ointment: 0.1% (as valerate)

## Indications

Pruritus due to skin disorder

Psoriasis of unspecified type

Dermatitis or eczema

Lichen planus

**Calamine**

## Section

Dermatological medicines &gt; Anti-inflammatory and antipruritic medicines

Local &gt; Topical &gt; Lotion:

## Indications

Pruritus

## Calcipotriol

### Section

Dermatological medicines > Medicines affecting skin differentiation and proliferation

Local > Topical > Cream: 50 µg per mL (0.005%)

Local > Topical > Lotion: 50 µg per mL (0.005%)

Local > Topical > Ointment: 50 µg per mL (0.005%)

### Indications

Psoriasis of unspecified type

## Calcitriol

### Section

Dermatological medicines > Medicines affecting skin differentiation and proliferation

### Indications

Therapeutic equivalent to calcipotriol for

Psoriasis of unspecified type

## Coal tar

### Section

Dermatological medicines > Medicines affecting skin differentiation and proliferation

Local > Topical > Solution: 5%

### Indications

Psoriasis of unspecified type

## Fluorouracil

### Section

Dermatological medicines > Medicines affecting skin differentiation and proliferation

Local > Topical > Ointment: 5%

### Indications

Plantar warts

## Hydrocortisone

### Section

Dermatological medicines > Anti-inflammatory and antipruritic medicines

Local > Topical > Cream: 1% (acetate)

Local > Topical > Ointment: 1% (acetate)

### Indications

Dermatitis or eczema

Lichen planus

Pruritus due to skin disorder

Psoriasis of unspecified type

## Lindane

### Section

Dermatological medicines > Scabicides and pediculicides

Local > Topical > Cream: 1%

Local > Topical > Lotion: 1%

### Indications

Scabies

## Methotrexate

### Section

Dermatological medicines > Medicines affecting skin differentiation and proliferation

Oral > Solid > tablet: 2.5 mg (as sodium salt); 10 mg (as sodium salt)

### Indications

Psoriasis of unspecified type

## Miconazole

### Section

Dermatological medicines > Antifungal medicines

Local > Topical > Cream: 2% (nitrate)

Local > Topical > Ointment: 2% (nitrate)

### Indications

Fungal infection of the skin

## Mupirocin

### Section

Dermatological medicines > Anti-infective medicines

Local > Topical > Cream: 2% (as mupirocin calcium)

Local > Topical > Ointment: 2%

### Indications

Superficial bacterial folliculitis

Impetigo

## Permethrin

### Section

Dermatological medicines > Scabicides and pediculicides

Local > Topical > Lotion: 1%

Local > Topical > Cream: 5%

### Indications

Pediculosis corporis

Pediculosis capitis

Scabies

## Podophyllotoxin

### Section

Dermatological medicines > Medicines affecting skin differentiation and proliferation

### Indications

Therapeutic equivalent to podophyllum resin for

Anogenital warts

Therapeutic equivalent to podophyllum resin for

Plantar warts

## Podophyllum resin

### Section

Dermatological medicines > Medicines affecting skin differentiation and proliferation

Local > Topical > Solution: 10 to 25%

### Indications

Anogenital warts

Plantar warts

## Potassium permanganate

### Section

Dermatological medicines > Anti-infective medicines  
Local > Topical > Solution: aqueous solution: 1:10 000

### Indications

Tropical phagedaenic ulcer

Pemphigus

Other specified pyogenic bacterial infection of skin and subcutaneous tissue

Impetigo

## Precipitated sulfur

### Section

Dermatological medicines > Scabicides and pediculicides  
Local > Topical > Ointment:

### Indications

Therapeutic equivalent to benzyl benzoate for

Pthiriasis

Therapeutic equivalent to benzyl benzoate for

Pediculosis corporis

Therapeutic equivalent to benzyl benzoate for

Pediculosis capitis

Therapeutic equivalent to benzyl benzoate for

Scabies

## Salicylic acid

### Section

Dermatological medicines > Medicines affecting skin differentiation and proliferation  
Local > Topical > Solution: 5%

### Indications

Seborrhoeic dermatitis

Psoriasis of unspecified type

Ichthyoses

## Selenium sulfide

### Section

Dermatological medicines > Antifungal medicines  
Local > Topical > Suspension: 2% detergent-based

### Indications

Seborrhoeic dermatitis

Pityriasis versicolor

## Silver sulfadiazine

### Section

Dermatological medicines > Anti-infective medicines  
Local > Topical > Cream: 1%

### Indications

Burns

## Sodium thiosulfate

### Section

Dermatological medicines > Antifungal medicines  
Local > Topical > Solution: 15%

### Indications

Pityriasis versicolor

## Sunscreen (broad-spectrum)

### Section

Dermatological medicines  
Topical cream, lotion, gel, ointment, spray with sun protection factor  $\geq$  50.

### Indications

Albinism or other specified genetically-determined hypomelanotic disorders

Xeroderma pigmentosum

## Tacalcitol

### Section

Dermatological medicines > Medicines affecting skin differentiation and proliferation

### Indications

Therapeutic equivalent to calcipotriol for

Psoriasis of unspecified type

## Terbinafine

### Section

Dermatological medicines > Antifungal medicines  
Local > Topical > Cream: 1% terbinafine hydrochloride  
Local > Topical > Ointment: 1% terbinafine hydrochloride

### Indications

Fungal infection of the skin

## Urea

### Section

Dermatological medicines > Medicines affecting skin differentiation and proliferation  
Local > Topical > Cream: 10%; 5%  
Local > Topical > Ointment: 10%; 5%

### Indications

Xerosis cutis or asteatosis

## Ustekinumab

### Section

Dermatological medicines > Medicines affecting skin differentiation and proliferation  
Parenteral > General injections > SC: 45 mg per 0.5 mL in vial; 90 mg per mL in pre-filled syringe

### Indications

Psoriasis of unspecified type