

Alcuronium

Section

Muscle relaxants (peripherally-acting) and cholinesterase inhibitors
 Parenteral > General injections > IV: 5 mg per mL in 2 mL ampoule
 (alcuronium chloride)

Indications

Muscle relaxants

Atracurium

Section

Muscle relaxants (peripherally-acting) and cholinesterase inhibitors
 Parenteral > General injections > IV: 10 mg per mL (besylate)

Indications

Muscle relaxants

Therapeutic equivalent to **vecuronium** pour

Muscle relaxants

Gallamine

Section

Muscle relaxants (peripherally-acting) and cholinesterase inhibitors
 Parenteral > General injections > IV: 40 mg per mL in 2 mL ampoule
 (gallamine triethiodide)

Indications

Muscle relaxants

Neostigmine

Section

Muscle relaxants (peripherally-acting) and cholinesterase inhibitors
 Oral > Solid: 15 mg (neostigmine bromide)
 Parenteral > General injections > unspecified: 0.5 mg per mL in 1 mL
 ampoule (neostigmine metilsulfate); 2.5 mg per mL in 1 mL ampoule
 (neostigmine metilsulfate)

Indications

Myasthenia gravis

Anticholinesterase reversible

Pyridostigmine

Section

Muscle relaxants (peripherally-acting) and cholinesterase inhibitors
 Parenteral > General injections > IV: 1 mg in 1 mL ampoule
 (pyridostigmine bromide)
 Oral > Solid: 60 mg (pyridostigmine bromide)

Indications

Myasthenia gravis

Suxamethonium

Section

Muscle relaxants (peripherally-acting) and cholinesterase inhibitors
Parenteral > General injections > IV: 50 mg per mL in 2 mL ampoule (suxamethonium chloride); powder for injection (suxamethonium chloride) in vial

Indications

Muscle relaxants

Tubocurarine

Section

Muscle relaxants (peripherally-acting) and cholinesterase inhibitors
Parenteral > General injections > IV: 10 mg per mL in 1.5 mL ampoule (tubocurarine chloride)

Indications

Muscle relaxants

Vecuronium

Section

Muscle relaxants (peripherally-acting) and cholinesterase inhibitors
Parenteral > General injections > IV: 10 mg in vial powder for injection (vecuronium bromide)

Indications

Muscle relaxants