

**Acetazolamide**

## Section

Ophthalmological preparations > Miotics and antiglaucoma medicines  
Oral > Solid: 250 mg

## Indications

Primary open-angle glaucoma

**Aciclovir**

## Section

Ophthalmological preparations > Anti-infective agents  
Local > Ophthalmological > Ointment: 3% w/w

## Indications

Herpes simplex keratitis

**Amikacin**

## Section

Ophthalmological preparations > Anti-infective agents

## Indications

Therapeutic equivalent to gentamicin for

Other specified conjunctivitis

Therapeutic equivalent to gentamicin for

Infectious blepharitis

**Atropine**

## Section

Ophthalmological preparations > Mydriatics  
Local > Ophthalmological > Solution (eye drops): 0.1% (sulfate); 0.5% (sulfate); 1% (sulfate)

## Indications

Anterior uveitis

**Azithromycin**

## Section

Ophthalmological preparations > Anti-infective agents  
Local > Ophthalmological > Solution (eye drops): 1.5% eye drops

## Indications

Trachoma

**Bevacizumab**

## Section

Ophthalmological preparations > Anti-vascular endothelial growth factor (VEGF) preparations  
Parenteral > Locoregional injections > Intravitreal: 25 mg per mL

## Indications

Age related macular degeneration

## Carbachol

### Section

Ophthalmological preparations > Miotics and antiglaucoma medicines

### Indications

Therapeutic equivalent to pilocarpine for

Acute angle closure with pupillary block

Therapeutic equivalent to pilocarpine for

Ocular hypertension

Therapeutic equivalent to pilocarpine for

Primary open-angle glaucoma

## Carmellose

### Section

Ophthalmological preparations

### Indications

Therapeutic equivalent to hypromellose for

Keratoconjunctivitis sicca

## Chlortetracycline

### Section

Ophthalmological preparations > Anti-infective agents

### Indications

Therapeutic equivalent to tetracycline for

Other specified conjunctivitis

Therapeutic equivalent to tetracycline for

Infectious keratitis

Therapeutic equivalent to tetracycline for

Infectious blepharitis

Therapeutic equivalent to tetracycline for

Trachoma

## Cyclopentolate

### Section

Ophthalmological preparations > Mydriatics

### Indications

Therapeutic equivalent to atropine for

Anterior uveitis

## Epinephrine

### Section

Ophthalmological preparations > Mydriatics  
Local > Ophthalmological > Solution (eye drops): 2% (as hydrochloride)

### Indications

Primary open-angle glaucoma

## Erythromycin

### Section

Ophthalmological preparations > Anti-infective agents  
Local > Ophthalmological > Ointment: 0.5%

### Indications

Chlamydial conjunctivitis

Gonococcal infection of eye

## Gentamicin

### Section

Ophthalmological preparations > Anti-infective agents  
Local > Ophthalmological > Solution (eye drops): 0.3% (gentamicin sulfate)

### Indications

Other specified conjunctivitis

Infectious blepharitis

## Homatropine

### Section

Ophthalmological preparations > Mydriatics  
Local > Ophthalmological > Solution (eye drops): 2% (hydrobromide)

### Indications

Anterior uveitis

Therapeutic equivalent to *atropine* for

Anterior uveitis

## Hydrocortisone

### Section

Ophthalmological preparations > Anti-inflammatory agents  
Local > Ophthalmological > Ointment: 1% (acetate)

### Indications

Scleritis

Anterior uveitis

## Hypromellose

### Section

Ophthalmological preparations  
Local > Ophthalmological > Solution (eye drops): 0.3%

### Indications

Keratoconjunctivitis sicca

## Idoxuridine

### Section

Ophthalmological preparations > Anti-infective agents  
Local > Ophthalmological > Solution (eye drops): 0.1%  
Local > Ophthalmological > Ointment: 0.2%

### Indications

Herpes simplex keratitis

## Kanamycin

### Section

Ophthalmological preparations > Anti-infective agents

### Indications

Therapeutic equivalent to [gentamicin](#) for

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) for

Infectious blepharitis

## Latanoprost

### Section

Ophthalmological preparations > Miotics and antiglaucoma medicines  
Local > Ophthalmological > Solution (eye drops): 50 µg per mL eye drops

### Indications

Primary open-angle glaucoma

## Natamycin

### Section

Ophthalmological preparations > Anti-infective agents  
Local > Ophthalmological > Suspension: 5% eye drops

### Indications

Infectious keratitis

## Netilmicin

### Section

Ophthalmological preparations > Anti-infective agents

### Indications

Therapeutic equivalent to [gentamicin](#) for

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) for

Infectious blepharitis

## Ofloxacin

### Section

Ophthalmological preparations > Anti-infective agents  
Local > Ophthalmological > Solution (eye drops): 0.3%

### Indications

Other specified conjunctivitis

Infectious keratitis

## Oxytetracycline

### Section

Ophthalmological preparations > Anti-infective agents

### Indications

Therapeutic equivalent to tetracycline for

Other specified conjunctivitis

Therapeutic equivalent to tetracycline for

Infectious keratitis

Therapeutic equivalent to tetracycline for

Infectious blepharitis

Therapeutic equivalent to tetracycline for

Trachoma

## Pilocarpine

### Section

Ophthalmological preparations > Miotics and antiglaucoma medicines  
Local > Ophthalmological > Solution (eye drops): 2% (hydrochloride or nitrate); 4% (hydrochloride or nitrate)

### Indications

Acute angle closure with pupillary block

Ocular hypertension

Primary open-angle glaucoma

## Prednisolone

### Section

Ophthalmological preparations > Anti-inflammatory agents  
Local > Ophthalmological > Solution (eye drops): 0.5% (sodium phosphate)

### Indications

Scleritis

Anterior uveitis

## Ranibizumab

### Section

Ophthalmological preparations > Anti-vascular endothelial growth factor (VEGF) preparations

### Indications

Retinal venous occlusions

Diabetic macular oedema

Degenerative high myopia

Age related macular degeneration

## Silver nitrate

### Section

Ophthalmological preparations > Anti-infective agents  
Local > Ophthalmological > Solution (eye drops): 1%

### Indications

Neonatal conjunctivitis or dacryocystitis

## Sodium hyaluronate

### Section

Ophthalmological preparations

### Indications

Therapeutic equivalent to hypromellose for

Keratoconjunctivitis sicca

## Sulfacetamide

### Section

Ophthalmological preparations > Anti-infective agents  
Local > Ophthalmological > Ointment: 10% (sodium salt)

### Indications

Other specified conjunctivitis

## Tetracaine

### Section

Ophthalmological preparations > Local anaesthetics  
Local > Ophthalmological > Solution (eye drops): 0.5% (hydrochloride)

### Indications

Local anaesthetics

## Tetracycline

### Section

Ophthalmological preparations > Anti-infective agents  
Local > Ophthalmological > Ointment: 1% (tetracycline hydrochloride)

### Indications

Neonatal conjunctivitis or dacryocystitis

Other specified conjunctivitis

Infectious keratitis

Infectious blepharitis

Trachoma

## Timolol

### Section

Ophthalmological preparations > Miotics and antiglaucoma medicines  
Local > Ophthalmological > Solution (eye drops): 0.25% (hydrogen maleate); 0.5% (hydrogen maleate)

### Indications

Primary open-angle glaucoma

Ocular hypertension

## Tobramycin

### Section

Ophthalmological preparations > Anti-infective agents

### Indications

Therapeutic equivalent to gentamicin for

Other specified conjunctivitis

Therapeutic equivalent to gentamicin for

Infectious blepharitis

