



Model List of Essential Medicines

Acamprosate calcium

Section	Indications
Medicines for alcohol use disorders Oral > Solid > tablet: 333 mg	Disorders due to use of alcohol

Amitriptyline

Section	Indications
Medicines for depressive disorders Oral > Solid: 25 mg; 75 mg	Depressive disorders

Aripiprazole

Section	Indications
Medicines for psychotic disorders	Therapeutic equivalent to risperidone for Schizophrenia or other primary psychotic disorders

Buprenorphine

Section	Indications
Medicines for opioid use disorders	Therapeutic equivalent to methadone for Opioid dependence

Bupropion

Section	Indications
Medicines for nicotine use disorders Oral > Solid: 150 mg sustained-release (hydrochloride)	Nicotine dependence

Carbamazepine

Section	Indications
Medicines for bipolar disorders Oral > Solid > tablet: 100 mg (scored); 200 mg (scored); 400 mg	Bipolar or related disorders

Chlorpromazine

Section	Indications
<p>Medicines for psychotic disorders</p> <p>Oral > Liquid: 25 mg per 5 mL (hydrochloride)</p> <p>Oral > Solid: 100 mg (hydrochloride)</p> <p>Oral > Solid: 100 mg (hydrochloride); 10 mg (hydrochloride); 25 mg (hydrochloride); 50 mg (hydrochloride)</p> <p>Parenteral > General injections > unspecified: 25 mg per mL in 2 mL ampoule (hydrochloride)</p>	<p>Therapeutic equivalent to haloperidol for</p> <p>Schizophrenia or other primary psychotic disorders</p> <p>Schizophrenia or other primary psychotic disorders</p>

Clomipramine

Section	Indications
<p>Medicines for obsessive compulsive disorders</p> <p>Oral > Solid: 10 mg (hydrochloride); 25 mg (hydrochloride)</p>	Obsessive-compulsive disorder

Clozapine

Section	Indications
<p>Medicines for psychotic disorders</p> <p>Oral > Solid: 25 mg; 50 mg; 100 mg; 200 mg</p>	Schizophrenia or other primary psychotic disorders

Diazepam

Section	Indications
<p>Medicines for anxiety disorders</p> <p>Oral > Solid: 5 mg (scored); 2 mg (scored)</p>	Anxiety

Fluoxetine

Section	Indications
<p>Medicines for depressive disorders</p> <p>Oral > Solid: 20 mg (as hydrochloride)</p>	Depressive disorders
<p>Medicines for anxiety disorders</p> <p>Oral > Solid: 20 mg (as hydrochloride)</p>	Social anxiety disorder
<p>Medicines for obsessive compulsive disorders</p> <p>Oral > Solid: 20 mg (as hydrochloride)</p>	Generalised anxiety disorder
	Panic disorder
	Obsessive-compulsive disorder

Fluphenazine

Section	Indications
Medicines for psychotic disorders Parenteral > General injections > IM: 25 mg per mL in ampoule (decanoate); 25 mg per mL in ampoule (enanthate)	Schizophrenia or other primary psychotic disorders

Haloperidol

Section	Indications
Medicines for psychotic disorders Parenteral > General injections > IM: 5 mg per mL in ampoule Oral > Solid: 2 mg; 5 mg	Schizophrenia or other primary psychotic disorders

Haloperidol decanoate

Section	Indications
Medicines for psychotic disorders	Therapeutic equivalent to fluphenazine for Schizophrenia or other primary psychotic disorders

Lithium carbonate

Section	Indications
Medicines for bipolar disorders Oral > Solid: 300 mg	Bipolar or related disorders

Lorazepam

Section	Indications
Medicines for anxiety disorders	Therapeutic equivalent to diazepam for Anxiety

Methadone

Section	Indications
Medicines for opioid use disorders Oral > Liquid: 5 mg per 5 mL (methadone hydrochloride); 10 mg per 5 mL (methadone hydrochloride); 5 mg per mL concentrate for oral liquid (methadone hydrochloride); 10 mg per mL concentrate for oral liquid (methadone hydrochloride)	Opioid dependence

Methylphenidate

Section	Indications
Medicines for mental and behavioural disorders Multiple formulations and strengths.	Attention deficit hyperactivity disorder

Naltrexone

Section	Indications
Medicines for alcohol use disorders Parenteral > General injections > IM: 380 mg in vial (extended-release) Oral > Solid > tablet: 50 mg	Disorders due to use of alcohol

Nicotine replacement therapy

Section	Indications
Medicines for nicotine use disorders Local > Topical > Transdermal patch: 5 to 30 mg per 16 hour; 7 to 21 mg per 24 hour Oral > Solid > lozenge: 2 mg; 4 mg lozenge Local > Buccal > Oral spray: 1 mg per actuation Local > Buccal > Chewing gum: 2 mg; 4 mg	Nicotine dependence

Olanzapine

Section	Indications
Medicines for psychotic disorders Parenteral > General injections > IM: 10 mg in vial powder for injection	Therapeutic equivalent to risperidone for Schizophrenia or other primary psychotic disorders Schizophrenia or other primary psychotic disorders

Paliperidone

Section	Indications
Medicines for psychotic disorders Parenteral > General injections > IM: 25 mg in pre-filled syringe (as palmitate); 50 mg in pre-filled syringe (as palmitate); 75 mg in pre-filled syringe (as palmitate); 100 mg in pre-filled syringe (as palmitate); 150 mg in pre-filled syringe (as palmitate)	Therapeutic equivalent to risperidone for Schizophrenia or other primary psychotic disorders Schizophrenia or other primary psychotic disorders

Phenelzine

Section	Indications
Medicines for depressive disorders Oral > Solid > dosage form: 15 mg (as sulfate)	Other specified depressive disorders

Quetiapine

Section	Indications
Medicines for psychotic disorders	Therapeutic equivalent to risperidone for Schizophrenia or other primary psychotic disorders
Medicines for bipolar disorders Oral > Solid > tablet: 25 mg (immediate-release); 100 mg (immediate-release); 150 mg (immediate-release); 200 mg (immediate-release); 300 mg (immediate-release); 50 mg (modified-release); 150 mg (modified-release); 200 mg (modified-release); 300 mg (modified-release); 400 mg (modified-release)	Bipolar or related disorders

Risperidone

Section	Indications
Medicines for psychotic disorders Oral > Solid: 0.25 mg; 0.5 mg; 1 mg; 2 mg; 3 mg; 4 mg; 6 mg Parenteral > General injections > IM:	Schizophrenia or other primary psychotic disorders Therapeutic equivalent to paliperidone for Schizophrenia or other primary psychotic disorders

Valproic acid (sodium valproate)

Section	Indications
Medicines for bipolar disorders Oral > Solid: 200 mg tablet (enteric-coated); 500 mg tablet (enteric-coated)	Bipolar or related disorders

Varenicline

Section	Indications
Medicines for nicotine use disorders Oral > Solid: 0.5 mg; 1 mg	Nicotine dependence

Zuclopentixol decanoate

Section	Indications
Medicines for psychotic disorders	Therapeutic equivalent to fluphenazine for Schizophrenia or other primary psychotic disorders