

## Ascorbic acid

## Section

Vitamins and minerals  
Oral > Solid: 50 mg

## Indications

Scurvy

## Calcium

## Section

Vitamins and minerals  
Oral > Solid: 500 mg (elemental calcium)

## Indications

Calcium deficiency

## Calcium gluconate

## Section

Vitamins and minerals  
Parenteral > General injections > IV: 100 mg per mL in 10 mL ampoule

## Indications

Tetany due to acute calcium deficiency

## Colecalciferol

## Section

Vitamins and minerals  
Oral > Liquid: 400 IU per mL  
Oral > Solid: 400 IU; 1000 IU

## Indications

Calcium deficiency

Vitamin D deficiency

Therapeutic equivalent to [ergocalciferol](#) for

Vitamin D deficiency

Therapeutic equivalent to [ergocalciferol](#) for

Calcium deficiency

## Ergocalciferol

## Section

Vitamins and minerals  
Oral > Liquid: 250 µg per mL (10 000 IU per mL)  
Oral > Solid: 1.25 mg (50 000 IU)

## Indications

Therapeutic equivalent to [colecalfiferol](#) for

Calcium deficiency

Therapeutic equivalent to [colecalfiferol](#) for

Vitamin D deficiency

Vitamin D deficiency

Calcium deficiency

## Iodine

### Section

#### Vitamins and minerals

Parenteral > General injections > IM: 480 mg per mL in 10 mL ampoule or vial iodized oil (oral or injectable)

### Indications

Iodine deficiency

## Multiple micronutrient powder

### Section

#### Vitamins and minerals

Sachets containing:

- iron (elemental) 12.5 mg (as coated ferrous fumarate)
- zinc (elemental) 5 mg
- vitamin A 300 micrograms
- with or without other micronutrients at recommended daily values

### Indications

Iron deficiency anaemia

## Nicotinamide

### Section

#### Vitamins and minerals

Oral > Solid: 50 mg

### Indications

Pellagra

## Pyridoxine

### Section

#### Vitamins and minerals

Oral > Solid > tablet: 25 mg (hydrochloride); 10 mg (hydrochloride)

### Indications

Other specified polyneuropathy

Vitamin B6 deficiency

Sideroblastic anaemia

## Retinol

### Section

#### Vitamins and minerals

Parenteral > General injections > IM: 50000 IU per mL in 2 mL ampoule or vial water-miscible (as palmitate)

Oral > Liquid: 100000 IU per mL (as palmitate or acetate)

Oral > Solid > capsule: 200000 IU (as palmitate or acetate) soft capsule; 50000 IU (as palmitate); 100000 IU (as palmitate or acetate) soft capsule

### Indications

Vitamin A deficiency

## Riboflavin

### Section

Vitamins and minerals

Oral > Solid: 5 mg

### Indications

Vitamin B2 deficiency

## Thiamine

### Section

Vitamins and minerals

Parenteral > General injections > IV: 50 mg per mL in ampoule or vial (hydrochloride)

Oral > Solid > tablet: 50 mg (hydrochloride)

### Indications

Vitamin B1 deficiency