

Abacavir + lamivudine

Section	Indications
Fixed-dose combinations of antiretrovirals Oral > Solid: 120 mg (as sulfate) + 60 mg tablet (dispersible, scored)	Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

Abacavir + lamivudine + lopinavir + ritonavir

Section	Indications
Fixed-dose combinations of antiretrovirals Oral > Solid: 30 mg + 15 mg + 40 mg + 10 mg capsule containing oral granules	Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

Cobicistat + elvitegravir + emtricitabine + tenofovir disoproxil fumarate

Section	Indications
Fixed-dose combinations of antiretrovirals Oral > Solid: 150 mg + 150 mg + 200 mg + 300 mg (tenofovir disoproxil fumarate equivalent to 245 mg tenofovir disoproxil)	Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

Cobicistat + elvitegravir + emtricitabine+ tenofovir alafenamide

Section	Indications
Fixed-dose combinations of antiretrovirals Oral > Solid: 150 mg + 150 mg + 200 mg + 10 mg	Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

Dolutegravir + lamivudine + tenofovir

Section	Indications
Fixed-dose combinations of antiretrovirals Oral > Solid: 50 mg + 300 mg + 300 mg (tenofovir disoproxil fumarate equivalent to 245 mg tenofovir disoproxil)	Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

Efavirenz + emtricitabine + tenofovir

Section	Indications
Fixed-dose combinations of antiretrovirals Oral > Solid: 600 mg + 200 mg + 300 mg (tenofovir disoproxil fumarate equivalent to 245 mg tenofovir disoproxil)	Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified

Efavirenz + lamivudine + tenofovir

Section	Indications
<p>Fixed-dose combinations of antiretrovirals Oral > Solid: 400 mg + 300 mg + 300 mg (tenofovir disoproxil fumarate, equivalent to 245 mg tenofovir disoproxil)</p>	<p>Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified</p> <p>Therapeutic equivalent to efavirenz + emtricitabine + tenofovir for</p> <p>Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified</p>

Emtricitabine + rilpivirine + tenofovir alafenamide

Section	Indications
<p>Fixed-dose combinations of antiretrovirals Oral > Solid: 200 mg + 25 mg + 25 mg</p>	<p>Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified</p>

Emtricitabine + rilpivirine + tenofovir disoproxil fumarate

Section	Indications
<p>Fixed-dose combinations of antiretrovirals Oral > Solid: 200 mg + 25 mg + 300 mg (tenofovir disoproxil fumarate equivalent to 245 mg tenofovir disoproxil)</p>	<p>Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified</p>

Emtricitabine + tenofovir

Section	Indications
<p>Fixed-dose combinations of antiretrovirals Oral > Solid: 200 mg + 300 mg (tenofovir disoproxil fumarate equivalent to 245 mg tenofovir disoproxil)</p>	<p>Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified</p> <p>Contact with or exposure to human immunodeficiency virus</p>

Emtricitabine + tenofovir alafenamide

Section	Indications
<p>Fixed-dose combinations of antiretrovirals Oral > Solid: 200 mg + 10 mg; 200 mg + 25 mg</p>	<p>Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified</p>

Lamivudine + nevirapine + zidovudine

Section	Indications
<p>Fixed-dose combinations of antiretrovirals Oral > Solid: 30 mg + 50 mg + 60 mg Tablet; 150 mg + 200 mg + 300 mg Tablet</p>	<p>Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified</p>

Lamivudine + tenofovir

Section	Indications
Fixed-dose combinations of antiretrovirals	<p>Therapeutic equivalent to emtricitabine + tenofovir for</p> <p>Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified</p> <p>Therapeutic equivalent to emtricitabine + tenofovir for</p> <p>Contact with or exposure to human immunodeficiency virus</p>

Lamivudine + zidovudine

Section	Indications
Fixed-dose combinations of antiretrovirals Oral > Solid: 30 mg + 60 mg Tablet; 150 mg + 300 mg Tablet	<p>Human immunodeficiency virus disease without mention of associated disease or condition, clinical stage unspecified</p>