

**Aztreonam**

## Section

Reserve group antibiotics

Parenteral &gt; General injections &gt; unspecified: 1 g in vial powder for injection; 2 g in vial powder for injection

## Indications

Other specified bacterial diseases

**Cefiderocol**

## Section

Reserve group antibiotics

Parenteral &gt; General injections &gt; IV: 1 g in vial (as sulfate tosylate) powder for injection

## Indications

Carbapenem-resistant *Pseudomonas aeruginosa*

Carbapenem resistant Enterobacterales

**Ceftaroline**

## Section

Reserve group antibiotics

Parenteral &gt; General injections &gt; IV: 400 mg in vial (as fosamil) powder for injection; 600 mg in vial (as fosamil) powder for injection

## Indications

Other specified bacterial diseases

**Ceftazidime + avibactam**

## Section

Reserve group antibiotics

Parenteral &gt; General injections &gt; IV: 2 g in vial + 0.5 g in vial powder for injection

## Indications

Carbapenem-resistant *Pseudomonas aeruginosa*

Carbapenem resistant Enterobacterales

**Ceftolozane + tazobactam**

## Section

Reserve group antibiotics

Parenteral &gt; General injections &gt; IV: 1 g + 0.5 g powder for injection

## Indications

Carbapenem-resistant *Pseudomonas aeruginosa*

## Colistin (injection)

### Section

Reserve group antibiotics

Parenteral > General injections > unspecified: 1 million IU in vial (as colistemetate sodium)

Parenteral > General injections > unspecified: 1 million IU in vial (as colistemetate sodium) (equivalent to 34 mg colistin base activity)

### Indications

Other specified bacterial diseases

Carbapenem resistant *Acinetobacter baumannii*

Carbapenem-resistant *Pseudomonas aeruginosa*

Carbapenem resistant Enterobacterales

## Daptomycin

### Section

Reserve group antibiotics

Parenteral > General injections > IV: 350 mg in vial powder for injection; 500 mg in vial powder for injection

### Indications

Other specified bacterial diseases

## Eravacycline

### Section

Reserve group antibiotics

Parenteral > General injections > IV: 50 mg lyophilized powder for injection

### Indications

Carbapenem resistant Enterobacterales

## Fifth generation cephalosporins

### Section

Reserve group antibiotics

.

### Indications

Other specified bacterial diseases

## Fosfomycin (injection)

### Section

Reserve group antibiotics

Parenteral > General injections > IV: 2 g in vial (as sodium) powder for injection; 4 g in vial (as sodium) powder for injection

### Indications

Other specified bacterial diseases

Carbapenem resistant *Acinetobacter baumannii*

Carbapenem-resistant *Pseudomonas aeruginosa*

Carbapenem resistant Enterobacterales

## Imipenem + cilastatin + relebactam

### Section

Reserve group antibiotics

Parenteral > General injections > IV: 500 mg + 500 mg + 250 mg powder for injection

### Indications

Other specified other antibiotic resistant Enterobacterales

Carbapenem resistant Enterobacterales

Carbapenem-resistant Pseudomonas aeruginosa

## Linezolid

### Section

Reserve group antibiotics

Parenteral > General injections > IV: 2 mg per mL in 300 mL bag

Oral > Liquid: 100 mg per 5 mL powder for oral liquid

Oral > Solid: 400 mg tablet; 600 mg tablet

Oral > Solid > dispersible tablet: 150 mg

Oral > Solid > tablet: 600 mg

### Indications

Other specified bacterial diseases

Methicillin resistant Staphylococcus aureus

Vancomycin resistant Staphylococcus aureus

Vancomycin resistant Enterococcus

## Meropenem + vaborbactam

### Section

Reserve group antibiotics

Parenteral > General injections > IV: 1 g in vial + 1 g in vial powder for injection

### Indications

Carbapenem-resistant Pseudomonas aeruginosa

Carbapenem resistant Enterobacterales

Carbapenem resistant Acinetobacter baumannii

## Omadacycline

### Section

Reserve group antibiotics

Parenteral > General injections > IV: 100 mg lyophilized powder for injection

Oral > Solid: 300 mg

### Indications

Methicillin resistant Staphylococcus aureus

## Oxazolindinones

### Section

Reserve group antibiotics

### Indications

Other specified bacterial diseases

## Plazomicin

### Section

Reserve group antibiotics

Parenteral > General injections > IV: 500 mg per 10 mL

### Indications

Carbapenem resistant *Acinetobacter baumannii*

Carbapenem-resistant *Pseudomonas aeruginosa*

Carbapenem resistant Enterobacterales

## Polymyxin B (injection)

### Section

Reserve group antibiotics

Parenteral > General injections > IV: 500000 IU in vial powder for injection (equivalent to 50 mg polymyxin B base)

### Indications

Carbapenem resistant *Acinetobacter baumannii*

Carbapenem-resistant *Pseudomonas aeruginosa*

Carbapenem resistant Enterobacterales

## Polymyxins

### Section

Reserve group antibiotics

.

### Indications

Other specified bacterial diseases

## Tedizolid

### Section

Reserve group antibiotics

### Indications

Therapeutic equivalent to *linezolid* for

Methicillin resistant *Staphylococcus aureus*

Therapeutic equivalent to *linezolid* for

Vancomycin resistant *Staphylococcus aureus*

Therapeutic equivalent to *linezolid* for

Vancomycin resistant *Enterococcus*

## Tigecycline

### Section

Reserve group antibiotics

Parenteral > General injections > IV: 50 mg in vial powder for injection

### Indications

Other specified bacterial diseases