

## Condoms

Section	Indications
Barrier methods -	Contact with health services for contraceptive management

## Copper-containing intrauterine device

Section	Indications
Intrauterine devices -	Contact with health services for insertion of contraceptive device

## Diaphragms

Section	Indications
Barrier methods -	Contact with health services for contraceptive management

## Estradiol cypionate + medroxyprogesterone acetate

Section	Indications
Injectable hormonal contraceptives Parenteral > General injections > IM: 5 mg + 25 mg	Contact with health services for reasons associated with reproduction

## Ethinylestradiol + etonogestrel

Section	Indications
Intravaginal contraceptives Local > Vaginal > vaginal ring: 2.7 mg + 11.7 mg	Contact with health services for contraceptive management

## Ethinylestradiol + levonorgestrel

Section	Indications
Oral hormonal contraceptives Oral > Solid: 50 µg + 250 µg [4]	Contact with health services for postcoital contraception
Oral > Solid: 30 µg + 150 µg	Contact with health services for contraceptive management

## Ethinylestradiol + norethisterone

Section	Indications
Oral hormonal contraceptives Oral > Solid: 35 µg + 1 mg	Contact with health services for contraceptive management

## Etonogestrel-releasing implant

Section	Indications
Implantable contraceptives Implant > Subdermal: 68 mg single rod	Contact with health services for insertion of contraceptive device

## Levonorgestrel

Section	Indications
Oral hormonal contraceptives Oral > Solid: 750 µg [2]; 1.5 mg [1] Oral > Solid: 30 µg	Contact with health services for postcoital contraception Contact with health services for contraceptive management
Intrauterine devices Intrauterine system with reservoir containing 52 mg of levonorgestrel.	Contact with health services for insertion of contraceptive device

## Levonorgestrel-releasing implant

Section	Indications
Implantable contraceptives Implant > Subdermal: 75 mg per rod (two-rods)	Contact with health services for insertion of contraceptive device

## Medroxyprogesterone acetate

Section	Indications
Injectable hormonal contraceptives Parenteral > General injections > IM: 150 mg per mL in 1 mL vial Parenteral > General injections > SC: 104 mg per 0.65 mL in pre-filled syringe; 104 mg per 0.65 mL in single dose injection delivery system	Contact with health services for reasons associated with reproduction

## Norethisterone

Section	Indications
Oral hormonal contraceptives Oral > Solid: 350 µg	Contact with health services for contraceptive management

## Norethisterone enantate

### Section

Injectable hormonal contraceptives  
Parenteral > General injections > IM: 200 mg per mL in 1 mL ampoule oily solution

### Indications

Contact with health services for reasons associated with reproduction

## Progesterone vaginal ring

### Section

Intravaginal contraceptives  
Local > Vaginal > vaginal ring: 2.074 g micronized progesterone

### Indications

Contact with health services for contraceptive management

## Ulipristal

### Section

Oral hormonal contraceptives  
Oral > Solid: 30 mg tablet (ulipristal acetate)

### Indications

Contact with health services for postcoital contraception