

Amitriptyline

Section

Medicines for other common symptoms in palliative care
Oral > Solid: 25 mg; 10 mg; 75 mg

Indications

Palliative care

Cyclizine

Section

Medicines for other common symptoms in palliative care
Oral > Solid: 50 mg tablet
Parenteral > General injections > unspecified: 50 mg per mL

Indications

Palliative care

Dexamethasone

Section

Medicines for other common symptoms in palliative care
Oral > Liquid: 2 mg per 5 mL
Oral > Solid: 2 mg; 4 mg
Parenteral > General injections > unspecified: 4 mg per mL in 1 mL ampoule (as disodium phosphate salt)

Indications

Palliative care

Diazepam

Section

Medicines for other common symptoms in palliative care
Oral > Liquid: 2 mg per 5 mL
Oral > Solid: 5 mg; 10 mg
Local > Rectal > Solution: 2.5 mg; 5 mg; 10 mg
Parenteral > General injections > unspecified: 5 mg per mL

Indications

Palliative care

Docusate sodium

Section

Medicines for other common symptoms in palliative care
Oral > Liquid: 50 mg per 5 mL oral liquid
Oral > Solid: 100 mg capsule

Indications

Palliative care

Fluoxetine

Section

Medicines for other common symptoms in palliative care
Oral > Solid: 20 mg (as hydrochloride)

Indications

Palliative care

Haloperidol

Section

Medicines for other common symptoms in palliative care
Oral > Liquid: 2 mg per mL
Oral > Solid: 0.5 mg; 2 mg; 5 mg
Parenteral > General injections > unspecified: 5 mg per mL in 1-mL ampoule

Indications

Palliative care

Hyoscine butylbromide

Section

Medicines for other common symptoms in palliative care
Parenteral > General injections > unspecified: 20 mg per mL injection

Indications

Palliative care

Hyoscine hydrobromide

Section

Medicines for other common symptoms in palliative care
Local > Topical > Transdermal patch: 1 mg per 72 hours transdermal patch
Parenteral > General injections > unspecified: 400 µg per mL injection; 600 µg per mL injection

Indications

Palliative care

Lactulose

Section

Medicines for other common symptoms in palliative care
Oral > Liquid: 3.1 to 3.7 g per 5 mL oral liquid

Indications

Palliative care

Loperamide

Section

Medicines for other common symptoms in palliative care
Oral > Solid: 2 mg solid oral dosage form

Indications

Palliative care

Metoclopramide

Section

Medicines for other common symptoms in palliative care

Oral > Liquid: 5 mg per 5 mL

Oral > Solid: 10 mg (hydrochloride)

Parenteral > General injections > unspecified: 5 mg per mL in 2 mL ampoule (hydrochloride)

Indications

Palliative care

Midazolam

Section

Medicines for other common symptoms in palliative care

Oral > Liquid: 2 mg per mL oral liquid

Oral > Solid: 7.5 mg solid oral dosage form; 15 mg solid oral dosage form

Parenteral > General injections > unspecified: 1 mg per mL injection; 5 mg per mL injection

Indications

Palliative care

Ondansetron

Section

Medicines for other common symptoms in palliative care

Parenteral > General injections > IV: 2 mg per mL in 2 mL ampoule (ondansetron base, as hydrochloride)

Oral > Liquid: 4 mg per 5 mL (ondansetron base)

Oral > Solid: 4 mg (ondansetron base); 8 mg (ondansetron base)

Indications

Palliative care

Senna

Section

Medicines for other common symptoms in palliative care

Oral > Liquid: 7.5 mg per 5 mL oral liquid

Indications

Palliative care