Model List of Essential Medicines

Albendazole

Section	Indications
Intestinal anthelminthics Oral > Solid > tablet: 400 mg (chewable, scored)) Oral > Solid > tablet: 400 mg (chewable, scored)	Ascariasis Enterobiasis Trichuriasis Hookworm diseases Echinococcosis Cysticercosis
Antifilarials Oral > Solid > tablet: 400 mg (chewable, scored)	Filariasis
Cysticidal medicines Oral > Solid > tablet: 400 mg (chewable, scored); 200 mg (chewable)	Other specified echinococcosis Cysticercosis of central nervous system

Diethylcarbamazine

Section	Indications
Antifilarials Oral > Solid: 50 mg tablet (dihydrogen citrate); 100 mg tablet (dihydrogen citrate)	Lymphatic filariasis

Ivermectin

Section	Indications
Intestinal anthelminthics Oral > Solid > tablet: 3 mg	Strongyloidiasis Ascariasis Trichuriasis Hookworm diseases Ancylostomiasis
Antifilarials Oral > Solid > tablet: 3 mg	Onchocerciasis Lymphatic filariasis

Levamisole

Section	Indications
Intestinal anthelminthics Oral > Solid > tablet: 50 mg (as hydrochloride); 150 mg (as hydrochloride)	Ascariasis

Mebendazole

Section	Indications
Intestinal anthelminthics Oral > Solid > tablet: 100 mg (chewable); 500 mg (chewable)	Ascariasis Enterobiasis Trichuriasis Hookworm diseases
Cysticidal medicines Oral > Solid > tablet: 500 mg (chewable); 100 mg (chewable)	Other specified echinococcosis

Niclosamide

Section	Indications
Intestinal anthelminthics Oral > Solid: 500 mg tablet (chewable)	Hymenolepiasis Diphyllobothriasis Taeniasis due to Taenia saginata Taeniasis due to Taenia solium

Oxamniquine

Section	Indications
Antischistosomals and other antitrematode medicines Oral > Liquid: 250 mg per 5 mL Oral > Solid: 250 mg capsule	Schistosomiasis due to Schistosoma mansoni

Praziquantel

Section	Indications
Antischistosomals and other antitrematode medicines Oral > Solid > tablet: 600 mg (scored); 500 mg; 150 mg	Opisthorchiasis Paragonimiasis Clonorchiasis Schistosomiasis
Intestinal anthelminthics Oral > Solid > tablet: 600 mg (scored); 500 mg; 150 mg	Taeniasis due to Taenia saginata Taeniasis due to Taenia solium Diphyllobothriasis Hymenolepiasis
Cysticidal medicines Oral > Solid > tablet: 600 mg (scored); 500 mg; 150 mg	Cysticercosis of central nervous system

Pyrantel

Section	Indications
Intestinal anthelminthics Oral > Solid > tablet: 250 mg (chewable) (as embonate or pamoate)	Ascariasis Trichuriasis Hookworm diseases Enterobiasis

Suramin sodium

Section	Indications
Antifilarials Parenteral > General injections > IV: 1 g in vial	Filariasis

Triclabendazole

Section	Indications
Antischistosomals and other antitrematode medicines Oral > Solid > tablet: 250 mg (scored)	Paragonimiasis Fascioliasis