

**Amodiaquine**

## Section

Antimalarial medicines > For curative treatment  
 Oral > Solid: 153 mg (as hydrochloride); 200 mg (as hydrochloride)

## Indications

Malaria due to *Plasmodium falciparum*

**Amodiaquine + sulfadoxine + pyrimethamine**

## Section

Antimalarial medicines > For chemoprevention  
 Oral > Solid: 76.5 mg (as hydrochloride) [3] + 250 mg + 12.5 mg [1]  
 dispersible tablets in co-package; 153 mg (as hydrochloride) [3] + 500 mg  
 + 25 mg [1] dispersible tablets in co-package

## Indications

Malaria

**Artemether**

## Section

Antimalarial medicines > For curative treatment  
 Parenteral > General injections > IV: 80 mg per mL in 1 mL ampoule (oily  
 injection)

## Indications

Malaria due to *Plasmodium falciparum*

**Artemether + lumefantrine**

## Section

Antimalarial medicines > For curative treatment  
 Oral > Solid: 20 mg + 120 mg tablet; 20 mg + 120 mg dispersible tablet

## Indications

Malaria due to *Plasmodium falciparum*

**Artesunate**

## Section

Antimalarial medicines > For curative treatment  
 Parenteral > General injections > IV: 60 mg in ampoule containing  
 anhydrous artesunic acid with a separate ampoule of 5% sodium  
 bicarbonate solution  
 Oral > Solid: 50 mg tablet  
 Local > Rectal > Other: 50 mg capsules; 200 mg capsules; 100 mg capsules

## Indications

Malaria due to *Plasmodium falciparum*

**Artesunate + amodiaquine**

## Section

Antimalarial medicines > For curative treatment  
 Oral > Solid: 25 mg + 67.5 mg tablet; 50 mg + 135 mg tablet; 100 mg + 270  
 mg tablet

## Indications

Malaria due to *Plasmodium falciparum*

## Artesunate + mefloquine

### Section

Antimalarial medicines > For curative treatment

Oral > Solid: 25 mg + 55 mg tablet; 100 mg + 220 mg tablet

### Indications

Malaria due to Plasmodium falciparum

## Artesunate + pyronaridine tetraphosphate

### Section

Antimalarial medicines > For curative treatment

Oral > Solid: 60 mg + 180 mg tablet; 20 mg + 60 mg granules

### Indications

Malaria due to Plasmodium falciparum

Malaria due to Plasmodium vivax

## Chloroquine

### Section

Antimalarial medicines > For chemoprevention

Oral > Liquid: 50 mg per 5 mL syrup (as phosphate or sulfate)

Oral > Solid: 150 mg tablet (as phosphate or sulfate)

Antimalarial medicines > For curative treatment

Parenteral > General injections > IV: 40 mg per mL in 5 mL ampoule (as hydrochloride, phosphate or sulfate)

Oral > Liquid: 50 mg per 5 mL syrup (as phosphate or sulfate)

Oral > Solid: 150 mg tablet (as phosphate or sulfate); 100 mg tablet (as phosphate or sulfate)

### Indications

Malaria due to Plasmodium falciparum

Malaria due to Plasmodium ovale

Malaria due to Plasmodium vivax

Malaria due to Plasmodium malariae

Malaria due to Plasmodium falciparum

Malaria due to Plasmodium vivax

## Dihydroartemisinin + piperaquine phosphate

### Section

Antimalarial medicines > For curative treatment

Oral > Solid: 40 mg + 320 mg tablet; 20 mg + 160 mg tablet

### Indications

Malaria due to Plasmodium falciparum

## Doxycycline

### Section

Antimalarial medicines > For curative treatment

Oral > Solid: 100 mg (hydrochloride or hyclate); 100 mg dispersible tablet (as monohydrate)

Antimalarial medicines > For chemoprevention

Oral > Solid: 100 mg (hydrochloride or hyclate)

### Indications

Malaria due to Plasmodium falciparum

Malaria due to Plasmodium falciparum

## Hydroxychloroquine

### Section

Antimalarial medicines > For chemoprevention

### Indications

Therapeutic equivalent to chloroquine for

Malaria due to *Plasmodium falciparum*

## Mefloquine

### Section

Antimalarial medicines > For curative treatment

Oral > Solid: 250 mg tablet (hydrochloride)

Antimalarial medicines > For chemoprevention

Oral > Solid: 250 mg tablet (hydrochloride)

### Indications

Malaria due to *Plasmodium falciparum*

Malaria due to *Plasmodium falciparum*

## Primaquine

### Section

Antimalarial medicines > For curative treatment

Oral > Solid: 7.5 mg tablet (as phosphate); 15 mg tablet (as phosphate)

### Indications

Malaria due to *Plasmodium ovale*

Malaria due to *Plasmodium vivax*

## Proguanil

### Section

Antimalarial medicines > For chemoprevention

Oral > Solid: 100 mg tablet (hydrochloride)

### Indications

Malaria due to *Plasmodium falciparum*

## Quinine

### Section

Antimalarial medicines > For curative treatment

Parenteral > General injections > IV: 300 mg per mL in 2 mL ampoule (quinine hydrochloride)

Oral > Solid: 300 mg (quinine sulfate or quinine bisulfate)

### Indications

Malaria due to *Plasmodium falciparum*

## Sulfadoxine + pyrimethamine

### Section

Antimalarial medicines > For curative treatment

Oral > Solid: 500 mg + 25 mg tablet

Antimalarial medicines > For chemoprevention

Oral > Solid: 500 mg + 25 mg tablet

Oral > Solid: 250 mg + 12.5 mg tablet

### Indications

Malaria due to *Plasmodium falciparum*

Malaria due to *Plasmodium falciparum*

Malaria

