

Adalimumab

Section

Immunomodulators for non-malignant disease
 Parenteral > General injections > SC: 40 mg per 0.8 mL; 40 mg per 0.4 mL;
 10 mg per 0.2 mL; 20 mg per 0.4 mL

Indications

Axial spondyloarthritis

Rheumatoid arthritis

Crohn disease site

Azathioprine

Section

Immunomodulators for non-malignant disease
 Oral > Solid: 50 mg
 Parenteral > General injections > IV: 100 mg in vial powder for injection
 (as sodium salt); 50 mg in vial powder for injection (as sodium salt)
 Oral > Liquid: 10 mg per mL
 Oral > Solid > tablet: 50 mg (scored); 25 mg

Indications

Relapsing-remitting multiple sclerosis

Failure or rejection of transplanted organs or tissues

Certolizumab pegol

Section

Immunomodulators for non-malignant disease

Indications

Therapeutic equivalent to **adalimumab** for

Axial spondyloarthritis

Therapeutic equivalent to **adalimumab** for

Rheumatoid arthritis

Therapeutic equivalent to **adalimumab** for

Crohn disease site

Ciclosporin

Section

Immunomodulators for non-malignant disease
 Parenteral > General injections > IV: 50 mg per mL in 1 mL ampoule
 concentrate for injection
 Oral > Liquid: 100 mg per mL
 Oral > Solid > capsule: 25 mg

Indications

Failure or rejection of transplanted organs or tissues

Etanercept

Section

Immunomodulators for non-malignant disease

Indications

Therapeutic equivalent to [adalimumab](#) for

Axial spondyloarthritis

Therapeutic equivalent to [adalimumab](#) for

Rheumatoid arthritis

Therapeutic equivalent to [adalimumab](#) for

Crohn disease site

Fingolimod

Section

Immunomodulators for non-malignant disease

Oral > Solid: 0.25 mg; 0.5 mg

Indications

Relapsing-remitting multiple sclerosis

Golimumab

Section

Immunomodulators for non-malignant disease

Indications

Therapeutic equivalent to [adalimumab](#) for

Axial spondyloarthritis

Therapeutic equivalent to [adalimumab](#) for

Rheumatoid arthritis

Therapeutic equivalent to [adalimumab](#) for

Crohn disease site

Infliximab

Section

Immunomodulators for non-malignant disease

Indications

Therapeutic equivalent to [adalimumab](#) for

Axial spondyloarthritis

Therapeutic equivalent to [adalimumab](#) for

Rheumatoid arthritis

Therapeutic equivalent to [adalimumab](#) for

Crohn disease site

Methotrexate

Section

Immunomodulators for non-malignant disease

Parenteral > General injections > SC: pre-filled syringe in multiple strengths

Indications

Crohn disease site

Psoriatic arthritis

Tacrolimus

Section

Immunomodulators for non-malignant disease

Parenteral > General injections > IV: 5 mg per mL in 1 mL vial

Oral > Liquid: 0.2 mg granules for oral suspension; 1 mg granules for oral suspension

Oral > Solid: 0.5 mg (immediate-release); 0.75 mg (immediate-release); 1 mg (immediate-release); 2 mg (immediate-release); 5 mg (immediate-release)

Indications

Failure or rejection of transplanted organs or tissues