



# Model List of Essential Medicines

## Apixaban

Section	Indications
Medicines affecting coagulation	Therapeutic equivalent to <a href="#">dabigatran</a> for <a href="#">Venous thromboembolism</a> Therapeutic equivalent to <a href="#">dabigatran</a> for <a href="#">Other specified atrial fibrillation</a>

## Dabigatran

Section	Indications
Medicines affecting coagulation Oral > Solid: 110 mg; 150 mg	<a href="#">Venous thromboembolism</a> <a href="#">Other specified atrial fibrillation</a>

## Dalteparin

Section	Indications
Medicines affecting coagulation	Therapeutic equivalent to <a href="#">enoxaparin</a> for <a href="#">Acute ischaemic heart disease</a> Therapeutic equivalent to <a href="#">enoxaparin</a> for <a href="#">Venous thromboembolism</a>

## Desmopressin

Section	Indications
Medicines affecting coagulation Parenteral > General injections > IV: 4 µg per mL in 1 mL ampoule (acetate) Local > Nasal > Spray: 10 µg per dose (acetate)	<a href="#">Haemophilia A</a> <a href="#">Von Willebrand disease</a>

## Edoxaban

Section	Indications
Medicines affecting coagulation	Therapeutic equivalent to <a href="#">dabigatran</a> for <a href="#">Venous thromboembolism</a> Therapeutic equivalent to <a href="#">dabigatran</a> for <a href="#">Other specified atrial fibrillation</a>

## Enoxaparin

Section	Indications
<p><b>Medicines affecting coagulation</b></p> <p>Parenteral &gt; General injections &gt; SC: 20 mg per 0.2 mL in prefilled syringe; 40 mg per 0.4 mL in prefilled syringe; 60 mg per 0.6 mL in prefilled syringe; 80 mg per 0.8 mL in prefilled syringe; 100 mg per 1 mL in prefilled syringe; 120 mg per 0.8 mL in prefilled syringe; 150 mg per 1 mL in prefilled syringe; 150 mg per 1 mL in ampoule; 120 mg per 0.8 mL in ampoule; 20 mg per 0.2 mL in ampoule; 40 mg per 0.4 mL in ampoule; 60 mg per 0.6 mL in ampoule; 80 mg per 0.8 mL in ampoule; 100 mg per 1 mL in ampoule</p> <p>Parenteral &gt; General injections &gt; SC: 20 mg per 0.2 mL in prefilled syringe; 40 mg per 0.4 mL in prefilled syringe; 60 mg per 0.6 mL in prefilled syringe; 80 mg per 0.8 mL in prefilled syringe; 100 mg per 1 mL in prefilled syringe; 120 mg per 0.8 mL in prefilled syringe; 150 mg per 1 mL in prefilled syringe; 150 mg per 1 mL in ampoule; 20 mg per 0.2 mL in ampoule; 40 mg per 0.4 mL in ampoule; 60 mg per 0.6 mL in ampoule; 80 mg per 0.8 mL in ampoule; 100 mg per 1 mL in ampoule</p>	<p>Acute ischaemic heart disease</p> <p>Venous thromboembolism</p>

## Heparin sodium

Section	Indications
<p><b>Medicines affecting coagulation</b></p> <p>Parenteral &gt; General injections &gt; IV: 1000 IU per mL in 5 mL ampoule; 20000 IU per mL in 5 mL ampoule; 5000 IU per mL in 5 mL ampoule</p>	<p>Acute ischaemic heart disease</p> <p>Unstable angina</p> <p>Venous thromboembolism</p>

## Nadroparin

Section	Indications
<p><b>Medicines affecting coagulation</b></p>	<p>Therapeutic equivalent to <a href="#">enoxaparin</a> for</p> <p>Acute ischaemic heart disease</p> <p>Therapeutic equivalent to <a href="#">enoxaparin</a> for</p> <p>Venous thromboembolism</p>

## Phytomenadione

Section	Indications
<p><b>Medicines affecting coagulation</b></p> <p>Parenteral &gt; General injections &gt; IV: 10 mg per mL in ampoule; 1 mg per mL in ampoule</p> <p>Oral &gt; Solid: 10 mg tablet</p>	<p>Haemorrhagic disorder due to other specified circulating anticoagulants</p> <p>Haemorrhagic or haematological disorders of fetus or newborn</p>

## Protamine sulfate

Section	Indications
Medicines affecting coagulation Parenteral > General injections > IV: 10 mg per mL in 5 mL ampoule	Haemorrhagic disorder due to other specified circulating anticoagulants

## Rivaroxaban

Section	Indications
Medicines affecting coagulation	Therapeutic equivalent to dabigatran for Venous thromboembolism Therapeutic equivalent to dabigatran for Other specified atrial fibrillation

## Tranexamic acid

Section	Indications
Medicines affecting coagulation Parenteral > General injections > IV: 100 mg per mL in 10 mL ampoule	Haemorrhage, not elsewhere classified

## Warfarin

Section	Indications
Medicines affecting coagulation Oral > Solid: 5 mg (sodium salt); 1 mg (sodium salt); 2 mg (sodium salt); 0.5 mg (sodium salt)	Other specified diseases of arteries or arterioles Cerebral ischaemic stroke due to embolic occlusion Venous thromboembolism Atrial fibrillation