

Bisoprolol

Section

Medicines used in heart failure

Oral > Solid: 1.25 mg; 5 mg

Indications

Heart failure

Bumetanide

Section

Medicines used in heart failure

Indications

Therapeutic equivalent to furosemide pour

Heart failure

Captopril

Section

Medicines used in heart failure

Oral > Solid: 25 mg

Indications

Heart failure

Carvedilol

Section

Medicines used in heart failure

Indications

Therapeutic equivalent to bisoprolol pour

Heart failure

Chlorothiazide

Section

Medicines used in heart failure

Indications

Therapeutic equivalent to hydrochlorothiazide pour

Heart failure

Chlortalidone

Section

Medicines used in heart failure

Indications

Therapeutic equivalent to hydrochlorothiazide pour

Heart failure

Digitoxin

Section

Medicines used in heart failure

Parenteral > General injections > IV: 0.2 mg in 1 mL ampoule

Oral > Solid: 50 µg; 100 µg

Indications

Heart failure

Digoxin

Section

Medicines used in heart failure

Parenteral > General injections > IV: 250 µg per mL in 2 mL ampoule; 100 µg per mL in 1 mL ampoule

Oral > Liquid: 50 µg per mL

Oral > Solid > tablet: 62.5 µg; 250 µg; 125 µg

Indications

Heart failure

Dopamine

Section

Medicines used in heart failure

Parenteral > General injections > IV: 40 mg per mL in 5 mL vial (hydrochloride)

Indications

Heart failure

Cardiogenic shock

Enalapril

Section

Medicines used in heart failure

Oral > Solid > tablet: 2.5 mg (as hydrogen maleate); 5 mg (as hydrogen maleate); 10 mg (as hydrogen maleate)

Indications

Heart failure

Furosemide

Section

Medicines used in heart failure

Parenteral > General injections > IV: 10 mg per mL in 2 mL ampoule; 10 mg per mL in 5 mL ampoule

Oral > Liquid: 20 mg per 5 mL; 50 mg per 5 mL

Oral > Solid > tablet: 40 mg; 20 mg

Indications

Heart failure

Hydrochlorothiazide

Section

Medicines used in heart failure

Oral > Liquid: 50 mg per 5 mL

Oral > Solid: 25 mg

Indications

Heart failure

Indapamide

Section

Medicines used in heart failure

Indications

Therapeutic equivalent to [hydrochlorothiazide](#) pour

Heart failure

Losartan

Section

Medicines used in heart failure

Oral > Solid: 25 mg tablet; 50 mg tablet; 100 mg tablet

Indications

Heart failure

Metoprolol

Section

Medicines used in heart failure

Indications

Therapeutic equivalent to [bisoprolol](#) pour

Heart failure

Spironolactone

Section

Medicines used in heart failure

Oral > Solid: 25 mg

Indications

Heart failure

Torsemide

Section

Medicines used in heart failure

Indications

Therapeutic equivalent to [furosemide](#) pour

Heart failure