

Acetazolamide

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines
Oral > Solid: 250 mg

Indications

Primary open-angle glaucoma

Aciclovir

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Ointment: 3% w/w

Indications

Herpes simplex keratitis

Atropine

Section

Ophthalmological preparations > Mydriatics
Local > Ophthalmological > Solution (eye drops): 0.1% (sulfate); 0.5% (sulfate); 1% (sulfate)

Indications

Anterior uveitis

Azithromycin

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Solution (eye drops): 1.5% eye drops

Indications

Trachoma

Bevacizumab

Section

Ophthalmological preparations > Anti-vascular endothelial growth factor (VEGF) preparations
Parenteral > Locoregional injections > Intravitreal: 25 mg per mL

Indications

Age related macular degeneration

Epinephrine

Section

Ophthalmological preparations > Mydriatics
Local > Ophthalmological > Solution (eye drops): 2% (as hydrochloride)

Indications

Primary open-angle glaucoma

Erythromycin

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Ointment: 0.5%

Indications

First choice

Chlamydial conjunctivitis

Gonococcal infection of eye

Gentamicin

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Solution (eye drops): 0.3% (gentamicin sulfate)

Indications

Other specified conjunctivitis

Infectious blepharitis

Homatropine

Section

Ophthalmological preparations > Mydriatics
Local > Ophthalmological > Solution (eye drops): 2% (hydrobromide)

Indications

Anterior uveitis

Hydrocortisone

Section

Ophthalmological preparations > Anti-inflammatory agents
Local > Ophthalmological > Ointment: 1% (acetate)

Indications

Anterior uveitis

Scleritis

Idoxuridine

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Solution (eye drops): 0.1%
Local > Ophthalmological > Ointment: 0.2%

Indications

Herpes simplex keratitis

Latanoprost

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines
Local > Ophthalmological > Solution (eye drops): 50 µg per mL eye drops

Indications

Primary open-angle glaucoma

Natamycin

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Suspension: 5% eye drops

Indications

Infectious keratitis

Ofloxacin

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Solution (eye drops): 0.3%

Indications

Infectious keratitis

Pilocarpine

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines
Local > Ophthalmological > Solution (eye drops): 2% (hydrochloride or nitrate); 4% (hydrochloride or nitrate)

Indications

Ocular hypertension

Primary open-angle glaucoma

Acute angle closure with pupillary block

Prednisolone

Section

Ophthalmological preparations > Anti-inflammatory agents
Local > Ophthalmological > Solution (eye drops): 0.5% (sodium phosphate)

Indications

Anterior uveitis

Scleritis

Ranibizumab

Section

Ophthalmological preparations > Anti-vascular endothelial growth factor (VEGF) preparations

Indications

Diabetic macular oedema

Retinal venous occlusions

Degenerative high myopia

Age related macular degeneration

Silver nitrate

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Solution (eye drops): 1%

Indications

Neonatal conjunctivitis or dacryocystitis

Sulfacetamide

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Ointment: 10% (sodium salt)

Indications

Other specified conjunctivitis

Tetracaine

Section

Ophthalmological preparations > Local anaesthetics
Local > Ophthalmological > Solution (eye drops): 0.5% (hydrochloride)

Indications

Anesthesia local

Tetracycline

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Ointment: 1% (tetracycline hydrochloride)

Indications

Infectious keratitis

Other specified conjunctivitis

Infectious blepharitis

Trachoma

Neonatal conjunctivitis or dacryocystitis

Timolol

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines
Local > Ophthalmological > Solution (eye drops): 0.25% (hydrogen maleate); 0.5% (hydrogen maleate)

Indications

Primary open-angle glaucoma

Ocular hypertension