

Acetazolamide

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines
Oral > Solid: 250 mg

Indications

Primary open-angle glaucoma

Aciclovir

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Ointment: 3% w/w

Indications

Herpes simplex keratitis

Amikacin

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [gentamicin](#) pour

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) pour

Infectious blepharitis

Atropine

Section

Ophthalmological preparations > Mydriatics
Local > Ophthalmological > Solution (eye drops): 0.1% (sulfate); 0.5% (sulfate); 1% (sulfate)

Indications

Anterior uveitis

Azithromycin

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Solution (eye drops): 1.5% eye drops

Indications

Trachoma

Bevacizumab

Section

Ophthalmological preparations > Anti-vascular endothelial growth factor (VEGF) preparations
Parenteral > Locoregional injections > Intravitreal: 25 mg per mL

Indications

Age related macular degeneration

Carbachol

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines

Indications

Therapeutic equivalent to [pilocarpine](#) pour

Acute angle closure with pupillary block

Therapeutic equivalent to [pilocarpine](#) pour

Ocular hypertension

Therapeutic equivalent to [pilocarpine](#) pour

Primary open-angle glaucoma

Carmellose

Section

Ophthalmological preparations

Indications

Therapeutic equivalent to [hypromellose](#) pour

Keratoconjunctivitis sicca

Chlortetracycline

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [tetracycline](#) pour

Other specified conjunctivitis

Therapeutic equivalent to [tetracycline](#) pour

Infectious keratitis

Therapeutic equivalent to [tetracycline](#) pour

Infectious blepharitis

Therapeutic equivalent to [tetracycline](#) pour

Trachoma

Cyclopentolate

Section

Ophthalmological preparations > Mydriatics

Indications

Therapeutic equivalent to [atropine](#) pour

Anterior uveitis

Epinephrine

Section

Ophthalmological preparations > Mydriatics

Local > Ophthalmological > Solution (eye drops): 2% (as hydrochloride)

Indications

Primary open-angle glaucoma

Erythromycin

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Ointment: 0.5%

Indications

Chlamydial conjunctivitis

Gonococcal infection of eye

Gentamicin

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Solution (eye drops): 0.3% (gentamicin sulfate)

Indications

Other specified conjunctivitis

Infectious blepharitis

Homatropine

Section

Ophthalmological preparations > Mydriatics
Local > Ophthalmological > Solution (eye drops): 2% (hydrobromide)

Indications

Anterior uveitis

Therapeutic equivalent to *atropine* pour

Anterior uveitis

Hydrocortisone

Section

Ophthalmological preparations > Anti-inflammatory agents
Local > Ophthalmological > Ointment: 1% (acetate)

Indications

Scleritis

Anterior uveitis

Hypromellose

Section

Ophthalmological preparations
Local > Ophthalmological > Solution (eye drops): 0.3%

Indications

Keratoconjunctivitis sicca

Idoxuridine

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Solution (eye drops): 0.1%
Local > Ophthalmological > Ointment: 0.2%

Indications

Herpes simplex keratitis

Kanamycin

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [gentamicin](#) pour

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) pour

Infectious blepharitis

Latanoprost

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines
Local > Ophthalmological > Solution (eye drops): 50 µg per mL eye drops

Indications

Primary open-angle glaucoma

Natamycin

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Suspension: 5% eye drops

Indications

Infectious keratitis

Netilmicin

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [gentamicin](#) pour

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) pour

Infectious blepharitis

Ofloxacin

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Solution (eye drops): 0.3%

Indications

Other specified conjunctivitis

Infectious keratitis

Oxytetracycline

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to tetracycline pour

Other specified conjunctivitis

Therapeutic equivalent to tetracycline pour

Infectious keratitis

Therapeutic equivalent to tetracycline pour

Infectious blepharitis

Therapeutic equivalent to tetracycline pour

Trachoma

Pilocarpine

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines
Local > Ophthalmological > Solution (eye drops): 2% (hydrochloride or nitrate); 4% (hydrochloride or nitrate)

Indications

Acute angle closure with pupillary block

Ocular hypertension

Primary open-angle glaucoma

Prednisolone

Section

Ophthalmological preparations > Anti-inflammatory agents
Local > Ophthalmological > Solution (eye drops): 0.5% (sodium phosphate)

Indications

Scleritis

Anterior uveitis

Ranibizumab

Section

Ophthalmological preparations > Anti-vascular endothelial growth factor (VEGF) preparations

Indications

Retinal venous occlusions

Diabetic macular oedema

Degenerative high myopia

Age related macular degeneration

Silver nitrate

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Solution (eye drops): 1%

Indications

Neonatal conjunctivitis or dacryocystitis

Sodium hyaluronate

Section

Ophthalmological preparations

Indications

Therapeutic equivalent to [hypromellose pour](#)

[Keratoconjunctivitis sicca](#)

Sulfacetamide

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Ointment: 10% (sodium salt)

Indications

[Other specified conjunctivitis](#)

Tetracaine

Section

Ophthalmological preparations > Local anaesthetics
Local > Ophthalmological > Solution (eye drops): 0.5% (hydrochloride)

Indications

[Local anaesthetics](#)

Tetracycline

Section

Ophthalmological preparations > Anti-infective agents
Local > Ophthalmological > Ointment: 1% (tetracycline hydrochloride)

Indications

[Neonatal conjunctivitis or dacryocystitis](#)

[Other specified conjunctivitis](#)

[Infectious keratitis](#)

[Infectious blepharitis](#)

[Trachoma](#)

Timolol

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines
Local > Ophthalmological > Solution (eye drops): 0.25% (hydrogen maleate); 0.5% (hydrogen maleate)

Indications

[Primary open-angle glaucoma](#)

[Ocular hypertension](#)

Tobramycin

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [gentamicin pour](#)

[Other specified conjunctivitis](#)

Therapeutic equivalent to [gentamicin pour](#)

[Infectious blepharitis](#)

