

**Amitriptyline**

## Section

Medicines used in depressive disorders  
Oral > Solid: 25 mg; 75 mg

## Indications

Depressive disorders

**Buprenorphine**

## Section

Medicines for disorders due to psychoactive substance use

## Indications

Therapeutic equivalent to methadone for

Opioid dependence

**Bupropion**

## Section

Medicines for disorders due to psychoactive substance use  
Oral > Solid: 150 mg sustained-release (hydrochloride)

## Indications

Nicotine dependence

**Carbamazepine**

## Section

Medicines used in bipolar disorders  
Oral > Solid: 100 mg scored; 200 mg scored

## Indications

Bipolar or related disorders

**Chlorpromazine**

## Section

Medicines used in psychotic disorders  
Oral > Liquid: 25 mg per 5 mL (hydrochloride)  
Oral > Solid: 100 mg (hydrochloride); 10 mg (hydrochloride); 25 mg (hydrochloride); 50 mg (hydrochloride)  
Parenteral > General injections > unspecified: 25 mg per mL in 2 mL ampoule (hydrochloride)

## Indications

Schizophrenia or other primary psychotic disorders

**Citalopram**

## Section

Medicines used in depressive disorders

## Indications

Therapeutic equivalent to fluoxetine for

Depressive disorders

## Clomipramine

### Section

Medicines used for obsessive compulsive disorders  
Oral > Solid: 10 mg (hydrochloride); 25 mg (hydrochloride)

### Indications

Obsessive-compulsive disorder

## Clozapine

### Section

Medicines used in psychotic disorders  
Oral > Solid: 25 mg; 50 mg; 100 mg; 200 mg

### Indications

Schizophrenia or other primary psychotic disorders

## Diazepam

### Section

Medicines for anxiety disorders  
Oral > Solid: 5 mg (scored); 2 mg (scored)

### Indications

Anxiety

## Escitalopram

### Section

Medicines used in depressive disorders

### Indications

Therapeutic equivalent to fluoxetine for

Depressive disorders

## Fluoxetine

### Section

Medicines used in depressive disorders  
Oral > Solid: 20 mg (as hydrochloride)

### Indications

Depressive disorders

## Fluphenazine

### Section

Medicines used in psychotic disorders  
Parenteral > General injections > IM: 25 mg per mL in ampoule (decanoate); 25 mg per mL in ampoule (enanthatate)

### Indications

Schizophrenia or other primary psychotic disorders

## Fluvoxamine

### Section

Medicines used in depressive disorders

### Indications

Therapeutic equivalent to fluoxetine for

Depressive disorders

## Haloperidol

### Section

Medicines used in psychotic disorders

Parenteral > General injections > IM: 5 mg per mL in ampoule

Oral > Liquid: 2 mg per mL

Oral > Solid: 2 mg; 0.5 mg; 5 mg

### Indications

Schizophrenia or other primary psychotic disorders

## Lithium carbonate

### Section

Medicines used in bipolar disorders

Oral > Solid: 300 mg

### Indications

Bipolar or related disorders

## Methadone

### Section

Medicines for disorders due to psychoactive substance use

Oral > Liquid: 5 mg per 5 mL (methadone hydrochloride); 10 mg per 5 mL (methadone hydrochloride); 5 mg per mL concentrate for oral liquid (methadone hydrochloride); 10 mg per mL concentrate for oral liquid (methadone hydrochloride)

### Indications

Opioid dependence

## Methylphenidate

### Section

Medicines for mental and behavioural disorders

Multiple formulations and strengths.

### Indications

Attention deficit hyperactivity disorder

## Nicotine replacement therapy

### Section

Medicines for disorders due to psychoactive substance use

Oral > Other: 2 mg chewing gum; 4 mg chewing gum

Local > Topical > Transdermal patch: 5 to 30 mg per 16 hour; 7 to 21 mg per 24 hour

### Indications

Nicotine dependence

## Paliperidone

### Section

Medicines used in psychotic disorders

Parenteral > General injections > IM: 25 mg in pre-filled syringe (as palmitate); 50 mg in pre-filled syringe (as palmitate); 75 mg in pre-filled syringe (as palmitate); 100 mg in pre-filled syringe (as palmitate); 150 mg in pre-filled syringe (as palmitate)

### Indications

Schizophrenia or other primary psychotic disorders

## Paroxetine

### Section

Medicines used in depressive disorders

### Indications

Therapeutic equivalent to fluoxetine for

Depressive disorders

## Risperidone

### Section

Medicines used in psychotic disorders

Oral > Solid: 0.25 mg; 0.5 mg; 1 mg; 2 mg; 3 mg; 4 mg; 6 mg

Parenteral > General injections > IM:

### Indications

Schizophrenia or other primary psychotic disorders

Therapeutic equivalent to paliperidone for

Schizophrenia or other primary psychotic disorders

## Sertraline

### Section

Medicines used in depressive disorders

### Indications

Therapeutic equivalent to fluoxetine for

Depressive disorders

## Valproic acid (sodium valproate)

### Section

Medicines used in bipolar disorders

Oral > Solid: 200 mg tablet (enteric-coated); 500 mg tablet (enteric-coated)

### Indications

Bipolar or related disorders

## Varenicline

### Section

Medicines for disorders due to psychoactive substance use

Oral > Solid: 0.5 mg; 1 mg

### Indications

Nicotine dependence